

Kostra vyrobená z lisované oceli - bílý zinek. Uložení otočné hlavy na dvou kuličkových ložiscích s plastovou prachovkou. Osa kola šroub/matice.

**Polyamidové kolo** (přírodní **bílá**), bez ochranného středového disku, uložení středu na **jehlovém** ložisku.

**V případě, že není produkt v dostatečném množství skladem, jeho dodací lhůta může činit až 120 dnů.**

## Selected variant

<b>Product name</b>	Industrial wheel with PA disc, plain bearing, PA
<b>Product code</b>	27290
<b>Length L (mm)</b>	35
<b>Fastening</b>	Šroub
<b>Load capacity (kg)</b>	230
<b>Height H (mm)</b>	242
<b>Width B (mm)</b>	50
<b>Board size S (mm)</b>	-
<b>Hole / Thread</b>	M16
<b>Diameter D (mm)</b>	200
<b>Brake</b>	+
<b>Hole spacing R (mm)</b>	-

## Variants

Product name	Product code	QTY	Length L (mm)	Fastening	Load capacity (kg)	Height H (mm)	Width B (mm)	Board size S (mm)	Hole / Thread	Diameter D (mm)	Brake	Hole spacing R (mm)
Industrial wheel with PA disc, plain bearing, PA	27256	2	-	Deska	120	106	25	85x100	-	80	-	60x80

Product name	Product code	QTY	Length L (mm)	Fastening	Load capacity (kg)	Height H (mm)	Width B (mm)	Board size S (mm)	Hole / Thread	Diameter D (mm)	Brake	Hole spacing R (mm)
Industrial wheel with PA disc, plain bearing, PA	27257	2	-	Deska	120	106	25	85x100	-	80	+	60x80
Industrial wheel with PA disc, plain bearing, PA	27258	2	-	Deska	140	127	30	85x100	-	100	-	60x80
Industrial wheel with PA disc, plain bearing, PA	27259	6	-	Deska	140	127	30	85x100	-	100	+	60x80
Industrial wheel with PA disc, plain bearing, PA	27266	4	-	Pevné	120	106	25	85x100	-	80	-	60x80
Industrial wheel with PA disc, plain bearing, PA	27267	2	-	Pevné	140	127	30	85x100	-	100	-	60x80
	27268	0	-	Pevné	160	157	37,5	85x100	-	125	-	60x80
	27275	2	-	Díra	160	157	37,5	-	12	125	-	-
	27261	2	-	Deska	160	157	37,5	85x100	-	125	+	60x80
	27276	4	-	Díra	160	157	37,5	-	12	125	+	-

Product name	Product code	QTY	Length L (mm)	Fastening	Load capacity (kg)	Height H (mm)	Width B (mm)	Board size S (mm)	Hole / Thread	Diameter D (mm)	Brake	Hole spacing R (mm)
	27260	2	-	Deska	160	157	37,5	85x100	-	125	-	60x80
	27263	0	-	Deska	180	181	40	85x100	-	150	+	60x80
	27273	2	-	Díra	140	127	30	-	12	100	-	-
	27262	0	-	Deska	180	181	40	85x100	-	150	-	60x80
	27265	0	-	Deska	230	242	50	115x141	-	200	+	80x105
	27274	2	-	Díra	140	127	30	-	12	100	+	-
	27264	0	-	Deska	230	242	50	115x141	-	200	-	80x105
	27289	2	35	Šroub	230	242	50	-	M16	200	-	-
	27269	0	-	Pevné	180	181	40	85x100	-	150	-	60x80
	27272	0	-	Díra	120	106	25	-	12	80	+	-
	27270	0	-	Pevné	230	242	50	115x141	-	200	-	80x105
	27271	0	-	Díra	120	106	25	-	12	80	-	-
	27277	0	-	Díra	180	181	40	-	12	150	-	-
	27278	0	-	Díra	180	181	40	-	12	150	+	-
Industrial wheel with PA disc, plain bearing, PA	27290	2	35	Šroub	230	242	50	-	M16	200	+	-
	27280	0	-	Díra	230	242	50	-	12	200	+	-
	27281	0	30	Šroub	120	106	25	-	M16	80	-	-
	27279	0	-	Díra	230	242	50	-	12	200	-	-
	27282	0	30	Šroub	120	106	25	-	M16	80	+	-
	27284	0	30	Šroub	140	127	30	-	M16	100	+	-
	27283	0	30	Šroub	140	127	30	-	M16	100	-	-
	27287	0	30	Šroub	180	181	40	-	M16	150	-	-
	27286	0	30	Šroub	160	157	37,5	-	M16	125	+	-

Product name	Product code	QTY	Length L (mm)	Fastening	Load capacity (kg)	Height H (mm)	Width B (mm)	Board size S (mm)	Hole / Thread	Diameter D (mm)	Brake	Hole spacing R (mm)
	27285	0	30	Šroub	160	157	37,5	-	M16	125	-	-
	27288	0	30	Šroub	180	181	40	-	M16	150	+	-