

Frame made of pressed steel - white zinc. Swivel head mounted on two ball bearings with plastic dust cover. Wheel axle bolt/nut.

Polyamide wheel (Natural **white**), without protective center disc, center mounted on **needle** bearing.

In case the product is not in stock in sufficient quantity, its delivery time can be up to 120 days.

Selected variant

Product name	Industrial wheel with PA disc, plain bearing, PA
Product code	27267
Length L (mm)	-
Fastening	Pevné
Load capacity (kg)	140
Height H (mm)	127
Width B (mm)	30
Board size S (mm)	85x100
Hole / Thread	-
Diameter D (mm)	100
Brake	-
Hole spacing R (mm)	60x80

Variants

Product name	Product code	QTY	Length L (mm)	Fastening	Load capacity (kg)	Height H (mm)	Width B (mm)	Board size S (mm)	Hole / Thread	Diameter D (mm)	Brake	Hole spacing R (mm)
Industrial wheel with PA disc, plain bearing, PA	27256	2	-	Deska	120	106	25	85x100	-	80	-	60x80

Product name	Product code	QTY	Length L (mm)	Fastening	Load capacity (kg)	Height H (mm)	Width B (mm)	Board size S (mm)	Hole / Thread	Diameter D (mm)	Brake	Hole spacing R (mm)
Industrial wheel with PA disc, plain bearing, PA	27257	2	-	Deska	120	106	25	85x100	-	80	+	60x80
Industrial wheel with PA disc, plain bearing, PA	27258	2	-	Deska	140	127	30	85x100	-	100	-	60x80
Industrial wheel with PA disc, plain bearing, PA	27259	6	-	Deska	140	127	30	85x100	-	100	+	60x80
Industrial wheel with PA disc, plain bearing, PA	27266	4	-	Pevné	120	106	25	85x100	-	80	-	60x80
Industrial wheel with PA disc, plain bearing, PA	27267	2	-	Pevné	140	127	30	85x100	-	100	-	60x80
	27268	0	-	Pevné	160	157	37,5	85x100	-	125	-	60x80
	27275	2	-	Díra	160	157	37,5	-	12	125	-	-
	27261	2	-	Deska	160	157	37,5	85x100	-	125	+	60x80
	27276	4	-	Díra	160	157	37,5	-	12	125	+	-

Product name	Product code	QTY	Length L (mm)	Fastening	Load capacity (kg)	Height H (mm)	Width B (mm)	Board size S (mm)	Hole / Thread	Diameter D (mm)	Brake	Hole spacing R (mm)
	27260	2	-	Deska	160	157	37,5	85x100	-	125	-	60x80
	27263	0	-	Deska	180	181	40	85x100	-	150	+	60x80
	27273	2	-	Díra	140	127	30	-	12	100	-	-
	27262	0	-	Deska	180	181	40	85x100	-	150	-	60x80
	27265	0	-	Deska	230	242	50	115x141	-	200	+	80x105
	27274	2	-	Díra	140	127	30	-	12	100	+	-
	27264	0	-	Deska	230	242	50	115x141	-	200	-	80x105
	27289	2	35	Šroub	230	242	50	-	M16	200	-	-
	27269	0	-	Pevné	180	181	40	85x100	-	150	-	60x80
	27272	0	-	Díra	120	106	25	-	12	80	+	-
	27270	0	-	Pevné	230	242	50	115x141	-	200	-	80x105
	27271	0	-	Díra	120	106	25	-	12	80	-	-
	27277	0	-	Díra	180	181	40	-	12	150	-	-
	27278	0	-	Díra	180	181	40	-	12	150	+	-
Industrial wheel with PA disc, plain bearing, PA	27290	2	35	Šroub	230	242	50	-	M16	200	+	-
	27280	0	-	Díra	230	242	50	-	12	200	+	-
	27281	0	30	Šroub	120	106	25	-	M16	80	-	-
	27279	0	-	Díra	230	242	50	-	12	200	-	-
	27282	0	30	Šroub	120	106	25	-	M16	80	+	-
	27284	0	30	Šroub	140	127	30	-	M16	100	+	-
	27283	0	30	Šroub	140	127	30	-	M16	100	-	-
	27287	0	30	Šroub	180	181	40	-	M16	150	-	-
	27286	0	30	Šroub	160	157	37,5	-	M16	125	+	-

Product name	Product code	QTY	Length L (mm)	Fastening	Load capacity (kg)	Height H (mm)	Width B (mm)	Board size S (mm)	Hole / Thread	Diameter D (mm)	Brake	Hole spacing R (mm)
	27285	0	30	Šroub	160	157	37,5	-	M16	125	-	-
	27288	0	30	Šroub	180	181	40	-	M16	150	+	-

A components s.r.o.

Bohunická 493/81

619 00 Brno

Web: www.acomponents.czE-mail: info@acomponents.cz

Telefon: 511 188 963

Maloobchodní prodej

Standardizované komponenty můžete objednávat také v našem e-shopu.

Skladové zboží expedujeme obvykle do 48 hodin od potvrzení objednávky.