

Thread sealing plugs with self-sealing edge. The special edge allows for perfect sealing even without the use of sealing rings or other sealing elements. These plugs are particularly suitable for use in screwing hydraulic hoses and screwing on hydraulic cylinders. The plug head is adapted for optimal tightening with a screwdriver or hexagonal wrench.

- **Material:** PA6
- **Color:** yellow

**It is possible that the required quantity will not be in stock. In this case, we will contact you.**

## Selected variant

<b>Product name</b>	Sealing threaded plugs Type 1, PA 6, yellow
<b>Product code</b>	9073
<b>BSP (inches)</b>	G 1,1/4"
<b>Sw</b>	36
<b>Height H2 (mm)</b>	15
<b>Height h1 (mm)</b>	15
<b>Diameter D (mm)</b>	50,4
<b>Metric</b>	-
<b>UNF / UN</b>	-

## Variants

Product name	Product code	QTY	BSP (inches)	Sw	Height H2 (mm)	Height h1 (mm)	Diameter D (mm)	Metric	UNF / UN
Threaded plugs sealing Type 1, PA 6, yellow	08542	13	-	10	10	7	14,2	M 10x1	-
Threaded sealing plugs Type 1, PA 6, yellow	09056	0	-	13	10	10	17,2	M 12x1,5	-
Sealing threaded plugs Type 1, PA 6, yellow	28034	0	-	13	10	11	25	-	5/8"x18

Product name	Product code	QTY	BSP (inches)	Sw	Height H2 (mm)	Height h1 (mm)	Diameter D (mm)	Metric	UNF / UN
Threaded plugs sealing Type 1, PA 6, yellow	28633	4	G 1/2"	19	14	11	27	-	-
Threaded sealing plugs Type 1, PA 6, yellow	09057	1251	-	13	10	10	19,2	M 14x1,5	-
Sealing plugs with thread Type 1, PA 6, yellow	09067	0	G 1/8"	13	10	9	16,8	-	-
Threaded plugs sealing Type 1, PA 6, yellow	09068	0	G 1/4"	13	10	9	19,2	-	-
Threaded sealing plugs Type 1, PA 6, yellow	09075	0	-	13	9	11	20,8	-	7/16"x20
Threaded sealing plugs Type 1, PA 6, yellow	09076	0	-	13	10	11	22,6	-	1/2"x20
Threaded sealing plugs Type 1, PA 6, yellow	09077	1	-	13	10	11	25	-	9/16"x18
Threaded sealing plugs Type 1, PA 6, yellow	09058	0	-	17	10	10	22	M 16x1,5	-
Threaded sealing plugs Type 1, PA 6, yellow	09059	192	-	17	11	10	24	M 18x1,5	-
Threaded sealing plugs Type 1, PA 6, yellow	09060	0	-	19	14	10	26	M 20x1,5	-
Threaded sealing plugs Type 1, PA 6, yellow	09061	0	-	19	15	9	27,2	M 22x1,5	-
Threaded sealing plugs Type 1, PA 6, yellow	09069	0	G 3/8"	17	11	9	22,2	-	-

Product name	Product code	QTY	BSP (inches)	Sw	Height H2 (mm)	Height h1 (mm)	Diameter D (mm)	Metric	UNF / UN
Threaded sealing plugs Type 1, PA 6, yellow	09070	955	G 1/2"	19	13	12	27,2	-	-
Adjustable leg with vulcanized foot ø60 mm and eye, galvanized steel	09078	0	-	17	12	12	24,8	-	5/8"x18
Zátky so závitom tesniace Typ 1, PA 6, žlté	09062	0	-	24	14	12	31,5	M 24x1,5	-
Threaded sealing plugs Type 1, PA 6, yellow	09063	252	-	24	14	10	32	M 26x1,5	-
Sealing threaded plugs Type 1, PA 6, yellow	09064	0	-	24	14	13	32,3	M 27x2	-
Threaded sealing plugs Type 1, PA 6, yellow	09071	0	G 3/4"	24	13	12	32,3	-	-
Sealing threaded caps Type 1, PA 6, yellow	09079	0	-	17	13	10	26	-	3/4"x16
Threaded sealing plugs Type 1, PA 6, yellow	09080	0	-	19	12	14	33,8	-	7/8"x14
Threaded sealing plugs Type 1, PA 6, yellow	09065	0	-	27	14	13	40,4	M 33x2	-
Sealing thread plugs Type 1, PA 6, yellow	09072	0	G 1"	27	14	15	40	-	-
Sealing threaded caps Type 1, PA 6, yellow	09081	0	-	24	12	14	40,8	-	1.1/16"x12
Thread sealing plugs Type 1, PA 6, yellow	09082	0	-	27	15	15	42	-	1.5/16"x12

Product name	Product code	QTY	BSP (inches)	Sw	Height H2 (mm)	Height h1 (mm)	Diameter D (mm)	Metric	UNF / UN
Threaded sealing plugs Type 1, PA 6, yellow	09083	0	-	36	15	17	55,5	-	1.5/8"x12
Threaded plugs sealing Type 1, PA 6, yellow	28634	300	x	x	x	x	x	x	x
Threaded plugs sealing Type 1, PA 6, yellow	09066	694	-	36	15	13	50	M 42x2	-
Sealing threaded plugs Type 1, PA 6, yellow	09073	282	G 1,1/4"	36	15	15	50,4	-	-
Zátky so závitom tesniace Typ 1, PA 6, žlté	09074	17	G 1,1/2"	41	15	15	55,4	-	-
Plugs with thread sealing Type 1, PA 6, yellow	09084	0	-	36	15	17	58	-	1.5/8"x16
Threaded sealing caps Type 1, PA 6, yellow	15769	230	G 2"	55	15	15	68,4	-	-