

Plastové spojky mohou velmi výrazně nahradit svařované spoje. Zvláště u eloxovaných profilů jsou nepostradatelné.

Ocelové jádro v plastové spojce velmi výrazně spoj profilů zpevní. Tyto spojky bývají používány při stavbě konstrukcí regálů, stojanů atd.

Spojky s ocelovým jádrem a bez jádra se mohou kombinovat, např. v regálové sestavě - horní police, kde není již taková zátěž, nemusí být zapotřebí spojek s kovovým jádrem, ale mohou se použít levnější plastové spojky bez jádra.

Spojky s ocelovým jádrem bývají velmi často používány při stavbě akvarijních stěn pro svoji variabilitnost a pevnost.

Selected variant

Product name	Square yoke coupling, "L+1", black
Product code	27405
Side A (mm)	20
Wall thickness T (mm)	1,5
Height H (mm)	36
Steel reinforcement	+

Variants

Product name	Product code	QTY	Side A (mm)	Wall thickness T (mm)	Height H (mm)	Steel reinforcement
Square LDPE coupling, "L+1", black	27402	0	20	1,5	36	-
Square caster coupling, "L+1", black	27403	31	25	1,5	52	-
Square yoke coupling, "L+1", black	27405	0	20	1,5	36	+
Square jack coupling, "L+1", black	27404	1	30	2	47	-
Square hose coupling, "L+1", black	27407	4	30	2	47	+
Square jack coupler, "L+1", black	27406	0	25	1,5	52	+