

Silentbloky jsou standardně vyráběny z pryže NR/SBR o tvrdosti 70 ±5 Shore.

Rozsah pracovních teplot od -20°C do 80°C.

Tyto silentbloky jsou určeny pro zatížení na tlak (axiální zatížení směrem dolů). Nejsou určeny pro zatížení na tah, nebo střih (axiální směrem nahoru, nebo radiální zatížení).

V případě, že není produkt v dostatečném množství skladem, jeho dodací lhůta může činit až 120 dnů.

Selected variant

| | |
|----------------------------|------------------------------------|
| Product name | Silent block thread-thread, Type 3 |
| Product code | 26959 |
| Diameter d (mm) | M12 |
| Diameter D (mm) | 70 |
| Length L (mm) | 35 |
| Thread depth H (mm) | 12 |

Variants

| Product name | Product code | QTY | Diameter d (mm) | Diameter D (mm) | Length L (mm) | Thread depth H (mm) |
|---------------------------------------|--------------|-----|-----------------|-----------------|---------------|---------------------|
| Silent block thread-thread, Type 3 | 26962 | 0 | M12 | 75 | 25 | 12 |
| Silent block thread-thread, Type 3 | 26967 | 0 | M12 | 75 | 55 | 12 |
| Thread-to-thread silent block, Type 3 | 26966 | 10 | M12 | 75 | 50 | 12 |
| Silentblok závit-závit, Typ 3 | 26968 | 10 | M12 | 75 | 70 | 12 |
| Silent block thread-thread, Type 3 | 26969 | 0 | M16 | 100 | 30 | 16 |
| Silent block thread-thread, Type 3 | 26970 | 10 | M16 | 100 | 40 | 16 |
| Silent block thread-thread, Type 3 | 26972 | 0 | M16 | 100 | 55 | 16 |

| Product name | Product code | QTY | Diameter d (mm) | Diameter D (mm) | Length L (mm) | Thread depth H (mm) |
|------------------------------------|--------------|-----|-----------------|-----------------|---------------|---------------------|
| Silent block thread-thread, Type 3 | 26974 | 0 | M16 | 100 | 75 | 16 |
| Silent block thread-thread, Type 3 | 26973 | 9 | M16 | 100 | 60 | 16 |
| Silent block thread-thread, Type 3 | 26971 | 10 | M16 | 100 | 50 | 16 |
| | 26977 | 0 | M20 | 150 | 50 | 16 |
| | 26976 | 0 | M20 | 150 | 45 | 16 |
| | 26975 | 0 | M16 | 125 | 40 | 16 |
| | 26921 | 0 | M4 | 15 | 15 | 4 |
| | 26978 | 0 | M20 | 150 | 55 | 16 |
| | 26979 | 0 | M20 | 150 | 60 | 16 |
| | 26923 | 0 | M6 | 20 | 15 | 6 |
| | 26925 | 0 | M6 | 20 | 25 | 6 |
| | 26927 | 0 | M6 | 25 | 10 | 6 |
| | 26929 | 0 | M6 | 25 | 17 | 6 |
| | 26931 | 0 | M6 | 25 | 23 | 6 |
| | 26936 | 0 | M8 | 30 | 28 | 8 |
| | 26942 | 0 | M8 | 40 | 27 | 8 |
| | 26943 | 0 | M8 | 40 | 28 | 8 |
| | 26955 | 0 | M12 | 60 | 25 | 12 |
| | 26965 | 0 | M12 | 75 | 45 | 12 |
| Silent block thread-thread, Type 3 | 26922 | 10 | M4 | 15 | 20 | 4 |
| Silent block thread-thread, Type 3 | 26924 | 8 | M6 | 20 | 20 | 6 |
| Silent block thread-thread, Type 3 | 26926 | 9 | M6 | 20 | 30 | 6 |
| Silent block thread-thread, Type 3 | 26928 | 10 | M6 | 25 | 15 | 6 |

| Product name | Product code | QTY | Diameter d (mm) | Diameter D (mm) | Length L (mm) | Thread depth H (mm) |
|---|--------------|-----|-----------------|-----------------|---------------|---------------------|
| Silent block thread-thread, Type 3 | 26930 | 10 | M6 | 25 | 20 | 6 |
| Silent block thread-thread, Type 3 | 26932 | 0 | M6 | 25 | 25 | 6 |
| Silent block thread-thread, Type 3 | 26934 | 5 | M8 | 30 | 20 | 8 |
| Silent block thread-thread, Type 3 | 26933 | 10 | M6 | 25 | 30 | 6 |
| Thread-to-thread silent block, Type 3 | 26935 | 0 | M8 | 30 | 25 | 8 |
| Silent block thread-thread, Type 3 | 26938 | 8 | M8 | 30 | 40 | 8 |
| Hose clamp Double Robust W1 Power Clamp 65-75 | 26937 | 7 | M8 | 30 | 30 | 8 |
| Silent block thread-thread, Type 3 | 26940 | 5 | M8 | 40 | 20 | 8 |
| Silent block thread-thread, Type 3 | 26941 | 0 | M8 | 40 | 25 | 8 |
| Silent block thread-thread, Type 3 | 26939 | 0 | M8 | 35 | 35 | 8 |
| Silent block thread-thread, Type 3 | 26944 | 8 | M8 | 40 | 30 | 8 |
| Silent block thread-thread, Type 3 | 26945 | 5 | M8 | 40 | 40 | 8 |
| Silent block thread-thread, Type 3 | 26946 | 0 | M8 | 45 | 25 | 8 |
| Thread-to-thread silent block, Type 3 | 26947 | 0 | M8 | 45 | 35 | 10 |
| Silent block thread-thread, Type 3 | 26948 | 0 | M10 | 50 | 25 | 10 |
| Silent block thread-thread, Type 3 | 26951 | 6 | M10 | 50 | 40 | 10 |
| Silent block thread-thread, Type 3 | 26950 | 0 | M10 | 50 | 35 | 10 |

| Product name | Product code | QTY | Diameter d (mm) | Diameter D (mm) | Length L (mm) | Thread depth H (mm) |
|------------------------------------|--------------|-----|-----------------|-----------------|---------------|---------------------|
| Silent block thread-thread, Type 3 | 26949 | 1 | M10 | 50 | 30 | 10 |
| Silent block thread-thread, Type 3 | 26952 | 0 | M10 | 50 | 42 | 10 |
| Silent block thread-thread, Type 3 | 26954 | 5 | M10 | 50 | 50 | 10 |
| Silent block thread-thread, Type 3 | 26953 | 0 | M10 | 50 | 45 | 10 |
| Silentblok závit-závit, Typ 3 | 26957 | 0 | M12 | 60 | 35 | 12 |
| Silent block thread-thread, Type 3 | 26956 | 8 | M12 | 60 | 30 | 12 |
| Silent block thread-thread, Type 3 | 26959 | 0 | M12 | 70 | 35 | 12 |
| Silent block thread-thread, Type 3 | 26958 | 9 | M12 | 60 | 40 | 12 |
| Silent block thread-thread, Type 3 | 26960 | 10 | M12 | 70 | 40 | 12 |
| Silent block thread-thread, Type 3 | 26963 | 10 | M12 | 75 | 30 | 12 |
| Silent block thread-thread, Type 3 | 26961 | 0 | M12 | 70 | 45 | 12 |
| Silent block thread-thread, Type 3 | 26964 | 10 | M12 | 75 | 40 | 12 |