

Závitové zátky s plochým těsněním vyrobené tak, aby vydržely vysoké teplotní požadavky.

Šestihranný tvar zajišťuje snadnou montáž a demontáž.

Dostupné s metrickým, BSP a UNF závitem. Možnost ORFS těsnění u UNF závitu.

- **Materiál:** PA6
- **Barva:** žlutá

## Selected variant

|                        |   |
|------------------------|---|
| <b>Product name</b>    | Cover with thread and seal, PA6, yellow |
| <b>Product code</b>    | 0                                       |
| <b>Height D (mm)</b>   | 9                                       |
| <b>ORFS</b>            | -                                       |
| <b>Diameter C (mm)</b> | 24                                      |
| <b>Diameter A (mm)</b> | 36                                      |
| <b>Height B (mm)</b>   | 12                                      |
| <b>Metric</b>          | -                                       |
| <b>UNF / UN</b>        | 1 1/16"x12                              |
| <b>BSP (inches)</b>    | -                                       |

## Variants

| Product name                           | Product code | QTY | Height D (mm) | ORFS | Diameter C (mm) | Diameter A (mm) | Height B (mm) | Metric  | UNF / UN | BSP (inches) |
|--|--------------|-----|---------------|------|-----------------|-----------------|---------------|---------|----------|--------------|
| Threaded plugs and seal, PA6, yellow   | 31543        | 0   | 7             | -    | 10              | 16              | 8             | M10x1,5 | -        | -            |
| Threaded plugs and gasket, PA6, yellow | 31542        | 3   | 7             | -    | 10              | 16              | 8             | M10x1   | -        | -            |

| Product name                            | Product code | QTY | Height D (mm) | ORFS | Diameter C (mm) | Diameter A (mm) | Height B (mm) | Metric  | UNF / UN | BSP (inches) |
|---|--------------|-----|---------------|------|-----------------|-----------------|---------------|---------|----------|--------------|
| Threaded plugs and seals, PA6, yellow   | 31545        | 0   | 7             | -    | 13              | 20              | 10            | M14x1,5 | -        | -            |
| Threaded plugs and seals, PA6, yellow   | 31544        | 0   | 7             | -    | 13              | 18              | 8             | M12x1,5 | -        | -            |
| Threaded plugs and seal, PA6, yellow    | 31546        | 0   | 7             | -    | 15              | 22              | 10            | M16x1,5 | -        | -            |
| Threaded and sealed plugs, PA6, yellow  | 31548        | 0   | 7             | -    | 18              | 26              | 12            | M20x1,5 | -        | -            |
| Zátky so závitem a tesněním, PA6, žlté  | 31549        | 0   | 7             | -    | 18              | 26              | 12            | M20x2,5 | -        | -            |
| Threaded plugs and seals, PA6, yellow   | 31547        | 3   | 9             | -    | 19              | 26              | 10            | M18x1,5 | -        | -            |
| Plugs with thread and seal, PA6, yellow | 31552        | 0   | 7             | -    | 22              | 30              | 12            | M24x3   | -        | -            |
| Threaded plugs and gasket, PA6, yellow  | 31551        | 0   | 9             | -    | 22              | 30              | 12            | M24x1,5 | -        | -            |
| Threaded plugs and gasket, PA6, yellow  | 31550        | 0   | 7             | -    | 20              | 28              | 12            | M22x1,5 | -        | -            |
| Plugs with thread and seal, PA6, yellow | 31553        | 0   | 9             | -    | 24              | 34              | 12            | M26x1,5 | -        | -            |

| Product name                                 | Product code | QTY | Height D (mm) | ORFS | Diameter C (mm) | Diameter A (mm) | Height B (mm) | Metric  | UNF / UN | BSP (inches) |
|--|--------------|-----|---------------|------|-----------------|-----------------|---------------|---------|----------|--------------|
| Threaded plugs and gasket, PA6, yellow       | 31554        | 0   | 9             | -    | 26              | 38              | 12            | M30x1,5 | -        | -            |
| Zátky so závitem a tesnením, PA6, žlté       | 31555        | 0   | 9             | -    | 26              | 38              | 12            | M30x2   | -        | -            |
| Plugs with thread and seal, PA6, yellow      | 31556        | 0   | 9             | -    | 28              | 44              | 12            | M36x2   | -        | -            |
| Plugs with thread and seal, PA6, yellow      | 31557        | 0   | 11            | -    | 32              | 52              | 14            | M42x2   | -        | -            |
| Zátky so závitem a tesnením, PA6, žlté       | 31558        | 0   | 11            | -    | 36              | 55              | 14            | M45x2   | -        | -            |
| Pipe plugs with thread and seal, PA6, yellow | 31560        | 0   | 11            | -    | 36              | 62              | 14            | M54x2   | -        | -            |
| Threaded plugs and seals, PA6, yellow        | 31561        | 0   | 7             | -    | 12              | 16              | 8             | -       | -        | 1/8"x28      |
| Threaded plugs and gasket, PA6, yellow       | 31559        | 0   | 11            | -    | 36              | 62              | 14            | M52x2   | -        | -            |
| Threaded plugs and gasket, PA6, yellow       | 31563        | 903 | 7             | -    | 13              | 24              | 10            | -       | -        | 3/8"x19      |
| Threaded caps and seal, PA6, yellow          | 31562        | 3   | 7             | -    | 13              | 21              | 10            | -       | -        | 1/4"x19      |

| Product name                                 | Product code | QTY | Height D (mm) | ORFS | Diameter C (mm) | Diameter A (mm) | Height B (mm) | Metric | UNF / UN | BSP (inches) |
|--|--------------|-----|---------------|------|-----------------|-----------------|---------------|--------|----------|--------------|
| Threaded plugs and gasket, PA6, yellow       | 31564        | 903 | 9             | -    | 13              | 28              | 12            | -      | -        | 1/2"x14      |
| Threaded plugs and gasket, PA6, yellow       | 31566        | 900 | 9             | -    | 30              | 44              | 12            | -      | -        | 1"x11        |
| Plugs with thread and seal, PA6, yellow      | 31565        | 900 | 9             | -    | 19              | 35              | 12            | -      | -        | 3/4"x14      |
| Threaded plugs and gasket, PA6, yellow       | 31567        | 0   | 11            | -    | 32              | 52              | 14            | -      | -        | 1 1/4"x11    |
| Threaded and sealed plugs, PA6, yellow       | 31569        | 0   | 11            | -    | 38              | 70              | 14            | -      | -        | 2"x11        |
| Threaded plugs and gasket, PA6, yellow       | 31568        | 0   | 11            | -    | 36              | 58              | 14            | -      | -        | 1 1/2"x11    |
| Thread and seal plugs, PA6, yellow           | 31570        | 0   | 11            | -    | 46              | 86              | 14            | -      | -        | 2 1/2"x11    |
| Plugs with with thread and seal, PA6, yellow | 31571        | 0   | 11            | -    | 50              | 98              | 14            | -      | -        | 3"x11        |
| Threaded plugs and gasket, PA6, yellow       | 31572        | 0   | 7             | -    | 13              | 18              | 8             | -      | 7/16"x20 | -            |
| Zátky so závitem a těsněním, PA6, žlté       | 31574        | 0   | 7             | -    | 13              | 20              | 10            | -      | 9/16"x18 | -            |

| Product name                            | Product code | QTY | Height D (mm) | ORFS | Diameter C (mm) | Diameter A (mm) | Height B (mm) | Metric | UNF / UN   | BSP (inches) |
|---|--------------|-----|---------------|------|-----------------|-----------------|---------------|--------|------------|--------------|
| Threaded plugs with seal, PA6, yellow   | 31573        | 0   | 7             | -    | 13              | 19              | 10            | -      | 1/2"x20    | -            |
| Threaded and sealed plugs, PA6, yellow  | 31575        | 0   | 7             | -    | 15              | 22              | 10            | -      | 5/8"x18    | -            |
| Threaded plugs and gaskets, PA6, yellow | 31577        | 0   | 7             | -    | 18              | 25              | 10            | -      | 3/4"x16    | -            |
| Caps with thread and seal, PA6, yellow  | 31576        | 0   | 7             | -    | 17              | 24              | 10            | -      | 11/16"x16  | -            |
| Threaded plugs and gasket, PA6, yellow  | 31580        | 0   | 9             | -    | 22              | 33              | 12            | -      | 1"x14      | -            |
| Threaded plugs and gaskets, PA6, yellow | 31579        | 0   | 9             | -    | 20              | 30              | 12            | -      | 7/8"x14    | -            |
| Threaded plugs and seal, PA6, yellow    | 31578        | 0   | 7             | -    | 18              | 26              | 12            | -      | 13/16"x16  | -            |
| Threaded and sealed plugs, PA6, yellow  | 31581        | 0   | 9             | -    | 22              | 33              | 12            | -      | 1"x12      | -            |
| Threaded plugs and gasket, PA6, yellow  | 31583        | 0   | 9             | -    | 26              | 38              | 12            | -      | 1 3/16"x12 | -            |
| Cover with thread and seal, PA6, yellow | 31582        | 0   | 9             | -    | 24              | 36              | 12            | -      | 1 1/16"x12 | -            |

| Product name                            | Product code | QTY | Height D (mm) | ORFS | Diameter C (mm) | Diameter A (mm) | Height B (mm) | Metric | UNF / UN    | BSP (inches) |
|---|--------------|-----|---------------|------|-----------------|-----------------|---------------|--------|-------------|--------------|
| Threaded plugs and gasket, PA6, yellow  | 31584        | 0   | 9             | -    | 26              | 41              | 12            | -      | 1 5/16"x12  | -            |
| Threaded plugs and seal, PA6, yellow    | 31587        | 0   | 9             | -    | 30              | 49              | 12            | -      | 1 5/8"x12   | -            |
| Threaded plugs and seals, PA6, yellow   | 31586        | 0   | 9             | -    | 28              | 46              | 12            | -      | 1 1/2"x12   | -            |
| Threaded plugs and gasket, PA6, yellow  | 31585        | 0   | 9             | -    | 28              | 44              | 12            | -      | 1 7/16"x12  | -            |
| Threaded plugs and gasket, PA6, yellow  | 31589        | 0   | 11            | -    | 36              | 54              | 14            | -      | 1 3/4"x12   | -            |
| Threaded plugs and seals, PA6, yellow   | 31590        | 0   | 11            | -    | 36              | 57              | 14            | -      | 1 7/8"x12   | -            |
| Threaded plugs and gaskets, PA6, yellow | 31588        | 0   | 9             | -    | 32              | 52              | 14            | -      | 1 11/16"x12 | -            |
| Threaded plugs and gasket, PA6, yellow  | 31592        | 0   | 11            | -    | 38              | 67              | 14            | -      | 2 1/4"x12   | -            |
| Threaded plugs and seals, PA6, yellow   | 31591        | 0   | 11            | -    | 36              | 60              | 18            | -      | 2"x12       | -            |
| Threaded plugs and seal, PA6, yellow    | 31593        | 0   | 11            | -    | 46              | 73              | 14            | -      | 2 1/2"x12   | -            |

| Product name                            | Product code | QTY | Height D (mm) | ORFS        | Diameter C (mm) | Diameter A (mm) | Height B (mm) | Metric | UNF / UN | BSP (inches) |
|---|--------------|-----|---------------|-------------|-----------------|-----------------|---------------|--------|----------|--------------|
| Threaded plugs and gasket, PA6, yellow  | 31595        | 0   | 7             | 11/16"x16   | 17              | 24              | 11            | -      | -        | -            |
| Thread plugs and gasket, PA6, yellow    | 31594        | 0   | 7             | 9/16"x18    | 13              | 20              | 10            | -      | -        | -            |
| Threaded plugs and seals, PA6, yellow   | 31596        | 0   | 7             | 13/16"x16   | 18              | 26              | 13            | -      | -        | -            |
| Threaded plugs and gasket, PA6, yellow  | 31597        | 0   | 9             | 1"x14       | 22              | 33              | 14            | -      | -        | -            |
| Threaded plugs and gasket, PA6, yellow  | 31598        | 0   | 9             | 1 3/16"x12  | 26              | 38              | 17            | -      | -        | -            |
| Threaded plugs and gasket, PA6, yellow  | 31599        | 0   | 9             | 1 7/16"x12  | 28              | 44              | 18            | -      | -        | -            |
| Threaded plugs and gaskets, PA6, yellow | 31600        | 0   | 9             | 1 11/16"x12 | 32              | 52              | 18            | -      | -        | -            |
| Threaded plugs and gasket, PA6, yellow  | 31601        | 0   | 11            | 2"x12       | 36              | 60              | 18            | -      | -        | -            |