

- **Foot material:** glass-fiber reinforced thermoplastic
- **Screw material:** stainless steel
- **Foot color:** black

The static load, mentioned below in the parameters, is calculated at the center of the screw. In the case of vibrations or dynamic loads, these values are reduced.

You can order a [special anti-slip pad](#) for this product.

## Zvolená varianta

<b>Název produktu</b>	Stavitelná noha s patkou ø83mm, šroub M12x50mm s otvory pro kotvení, PA+GF-nerez
<b>Kód</b>	13853
<b>Výška patky G (mm)</b>	27
<b>Výška A (mm)</b>	38
<b>Průměr patky D (mm)</b>	83
<b>Klíč SW</b>	14
<b>Výška s podložkou H1 (mm)</b>	91
<b>Závit F</b>	M12
<b>Délka šroubu B (mm)</b>	50
<b>Rozteč K (mm)</b>	55
<b>Statické zatížení (N)</b>	15000
<b>Průměr otvoru L (mm)</b>	8,5
<b>Výška bez podložky H (mm)</b>	88

## Varianty produktu

Název produktu	Kód	QTY	Výška patky G (mm)	Výška A (mm)	Průměr patky D (mm)	Klíč SW	Výška s podložkou H1 (mm)	Závit F	Délka šroubu B (mm)	Rozteč K (mm)	Statické zatížení (N)	Průměr otvoru L (mm)	Výška bez podložky H (mm)

Stavitelná noha s patkou ø83mm, šroub M10x50mm s otvory pro kotvení, PA+GF- nerez	13849	0	27	38	83	14	91	M10	50	55	15000	8,5	88
Stavitelná noha s patkou ø83mm, šroub M10x75mm s otvory pro kotvení, PA+GF- nerez	13850	0	27	38	83	14	116	M10	75	55	15000	8,5	113
Stavitelná noha s patkou ø83mm, šroub M10x100mm s otvory pro kotvení, PA+GF- nerez	13851	0	27	38	83	14	141	M10	100	55	15000	8,5	138
Stavitelná noha s patkou ø83mm, šroub M10x125mm s otvory pro kotvení, PA+GF- nerez	13852	0	27	38	83	14	166	M10	125	55	15000	8,5	163

Stavitelná noha s patkou ø83mm, šroub M12x50mm s otvory pro kotvení, PA+GF- nerez	13853	0	27	38	83	14	91	M12	50	55	15000	8,5	88
Stavitelná noha s patkou ø83mm, šroub M12x75mm s otvory pro kotvení, PA+GF- nerez	13854	0	27	38	83	14	116	M12	75	55	15000	8,5	113
Stavitelná noha s patkou ø83mm, šroub M12x100mm s otvory pro kotvení, PA+GF- nerez	13855	0	27	38	83	14	141	M12	100	55	15000	8,5	138
Stavitelná noha s patkou ø83mm, šroub M12x125mm s otvory pro kotvení, PA+GF- nerez	13856	0	27	38	83	14	166	M12	125	55	15000	8,5	163

Stavitelná noha s patkou ø83mm, šroub M14x50mm s otvory pro kotvení, PA+GF- nerez	13857	0	27	38	83	14	91	M14	50	55	20000	8,5	88
Stavitelná noha s patkou ø83mm, šroub M14x75mm s otvory pro kotvení, PA+GF- nerez	13858	0	27	38	83	14	116	M14	75	55	20000	8,5	113
Stavitelná noha s patkou ø83mm, šroub M14x100mm s otvory pro kotvení, PA+GF- nerez	13859	0	27	38	83	14	141	M14	100	55	20000	8,5	138
Stavitelná noha s patkou ø83mm, šroub M14x125mm s otvory pro kotvení, PA+GF- nerez	13860	0	27	38	83	14	166	M14	125	55	20000	8,5	163

Stavitelná noha s patkou ø83mm, šroub M14x150mm s otvory pro kotvení, PA+GF- nerez	13861	0	27	38	83	14	191	M14	150	55	20000	8,5	188
Stavitelná noha s patkou ø83mm, šroub M14x175mm s otvory pro kotvení, PA+GF- nerez	13862	0	27	38	83	14	216	M14	175	55	20000	8,5	213
Stavitelná noha s patkou ø83mm, šroub M20x100mm s otvory pro kotvení, PA+GF- nerez	14412	0	27	41	83	17	144	M20	100	55	20000	8,5	141
Stavitelná noha s patkou ø83mm, šroub M16x50mm s otvory pro kotvení, PA+GF- nerez	13929	0	27	41	83	13	94	M16	50	55	20000	8,5	91

Stavitelná noha s patkou ø83mm, šroub M16x75mm s otvory pro kotvení, PA+GF- nerez	13930	0	27	41	83	13	119	M16	75	55	20000	8,5	116
Stavitelná noha s patkou ø83mm, šroub M16x100mm s otvory pro kotvení, PA+GF- nerez	13931	0	27	41	83	13	144	M16	100	55	20000	8,5	141
Stavitelná noha s patkou ø83mm, šroub M16x125mm s otvory pro kotvení, PA+GF- nerez	13932	0	27	41	83	13	169	M16	125	55	20000	8,5	166
Stavitelná noha s patkou ø83mm, šroub M16x150mm s otvory pro kotvení, PA+GF- nerez	13933	0	27	41	83	13	194	M16	150	55	20000	8,5	191

Stavitelná noha s patkou ø83mm, šroub M16x175mm s otvory pro kotvení, PA+GF- nerez	13934	0	27	41	83	13	219	M16	175	55	20000	8,5	216
Stavitelná noha s patkou ø83mm, šroub M16x200mm s otvory pro kotvení, PA+GF- nerez	13935	0	27	41	83	13	244	M16	200	55	20000	8,5	241
Stavitelná noha s patkou ø83mm, šroub M20x75mm s otvory pro kotvení, PA+GF- nerez	14411	0	27	41	83	17	119	M20	75	55	20000	8,5	116
Stavitelná noha s patkou ø83mm, šroub M20x125mm s otvory pro kotvení, PA+GF- nerez	14413	0	27	41	83	17	169	M20	125	55	20000	8,5	166

Stavitelná noha s patkou ø83mm, šroub M20x150mm s otvory pro kotvení, PA+GF- nerez	14414	0	27	41	83	17	194	M20	150	55	20000	8,5	191
Stavitelná noha s patkou ø83mm, šroub M20x175mm s otvory pro kotvení, PA+GF- nerez	14415	0	27	41	83	17	219	M20	175	55	20000	8,5	216
Stavitelná noha s patkou ø83mm, šroub M20x200mm s otvory pro kotvení, PA+GF- nerez	14416	0	27	41	83	17	244	M20	200	55	20000	8,5	241
Stavitelná noha s patkou ø83mm, šroub M20x225mm s otvory pro kotvení, PA+GF- nerez	14417	0	27	41	83	17	269	M20	225	55	20000	8,5	266

Stavitelná noha s patkou ø83mm, šroub M12x150mm s otvory pro kotvení, PA+GF- nerez	28399	0	18	30	83	10	180	M12	150	55	13000	54	177
---	-------	---	----	----	----	----	-----	-----	-----	----	-------	----	-----