

Silent blocks are standardly made of NR/SBR rubber with a hardness of 70 ±5 Shore.

Working temperature range from -20°C to 80°C.

These silent blocks are designed for pressure loads (axial load downwards). They are not designed for tension or shear loads (axial load upwards or radial load).

In case the product is not in stock in sufficient quantities, its delivery time can be up to 120 days.

Selected variant

| | |
|----------------------------|----------------------------|
| Product name | Silent block screw, Type 4 |
| Product code | 27007 |
| Length L (mm) | 20 |
| Diameter D (mm) | 40 |
| Diameter d (mm) | M8 |
| Screw length H (mm) | 20 |

Variants

| Product name | Product code | QTY | Length L (mm) | Diameter D (mm) | Diameter d (mm) | Screw length H (mm) |
|----------------------------|--------------|-----|---------------|-----------------|-----------------|---------------------|
| Silent block screw, Type 4 | 26980 | 0 | 10 | 10 | M4 | 10 |
| Silent block screw, Type 4 | 26983 | 0 | 15 | 15 | M4 | 10 |
| Silent block screw, Type 4 | 26981 | 0 | 8 | 15 | M4 | 10 |
| Silent block screw, Type 4 | 26986 | 164 | 10 | 20 | M6 | 15 |
| Silent block screw, Type 4 | 26987 | 0 | 15 | 20 | M6 | 15 |
| Silent block screw, Type 4 | 26984 | 0 | 20 | 15 | M4 | 10 |
| Silent block screw, Type 4 | 26989 | 94 | 25 | 20 | M6 | 15 |
| Silent block screw, Type 4 | 26988 | 0 | 20 | 20 | M6 | 15 |
| Silent block screw, Type 4 | 26990 | 0 | 30 | 20 | M6 | 15 |
| Silentblok skrutka, Typ 4 | 26992 | 0 | 10 | 25 | M6 | 18 |
| Silent block screw, Type 4 | 26993 | 0 | 15 | 25 | M6 | 18 |

| Product name | Product code | QTY | Length L (mm) | Diameter D (mm) | Diameter d (mm) | Screw length H (mm) |
|----------------------------|--------------|-----|---------------|-----------------|-----------------|---------------------|
| Silentblok skrutka, Typ 4 | 26995 | 688 | 20 | 25 | M6 | 18 |
| Silent block screw, Type 4 | 26997 | 0 | 25 | 25 | M6 | 18 |
| Silent block screw, Type 4 | 26999 | 0 | 15 | 30 | M8 | 20 |
| Silent block screw, Type 4 | 27001 | 0 | 20 | 30 | M8 | 20 |
| Silent block screw, Type 4 | 27002 | 0 | 25 | 30 | M8 | 20 |
| Silentblok skrutka, Typ 4 | 27004 | 0 | 30 | 30 | M8 | 20 |
| Silent block screw, Type 4 | 27006 | 0 | 35 | 35 | M8 | 20 |
| Silent block screw, Type 4 | 27005 | 0 | 40 | 30 | M8 | 20 |
| Silent block screw, Type 4 | 27008 | 0 | 25 | 40 | M8 | 20 |
| Silent block screw, Type 4 | 27007 | 199 | 20 | 40 | M8 | 20 |
| Silent block screw, Type 4 | 27013 | 0 | 25 | 45 | M8 | 20 |
| Silent block screw, Type 4 | 27011 | 62 | 30 | 40 | M8 | 20 |
| Silentblok skrutka, Typ 4 | 27012 | 0 | 40 | 40 | M8 | 20 |
| Silent block screw, Type 4 | 27016 | 0 | 25 | 50 | M10 | 28 |
| Silent block screw, Type 4 | 27014 | 0 | 35 | 45 | M8 | 20 |
| Silent block screw, Type 4 | 27015 | 0 | 20 | 50 | M10 | 28 |
| Silent block screw, Type 4 | 27017 | 0 | 30 | 50 | M10 | 28 |
| Silent block screw, Type 4 | 27019 | 0 | 40 | 50 | M10 | 28 |
| Silent block screw, Type 4 | 27018 | 0 | 35 | 50 | M10 | 28 |
| Silent block screw, Type 4 | 27021 | 0 | 45 | 50 | M10 | 28 |
| Silentblok skrutka, Typ 4 | 27022 | 0 | 50 | 50 | M10 | 28 |
| Silent block screw, Type 4 | 27025 | 0 | 35 | 60 | M12 | 32 |
| Silent block screw, Type 4 | 27026 | 0 | 40 | 60 | M12 | 32 |
| Silent block screw, Type 4 | 27024 | 0 | 30 | 60 | M12 | 32 |
| | 27037 | 0 | 30 | 100 | M16 | 42 |
| Silent block screw, Type 4 | 27027 | 0 | 35 | 70 | M12 | 37 |
| | 27044 | 0 | 45 | 150 | M20 | 42 |

| Product name | Product code | QTY | Length L (mm) | Diameter D (mm) | Diameter d (mm) | Screw length H (mm) |
|----------------------------|--------------|-----|---------------|-----------------|-----------------|---------------------|
| Silent block screw, Type 4 | 27029 | 0 | 45 | 70 | M12 | 37 |
| | 27043 | 0 | 40 | 125 | M16 | 42 |
| Silent block screw, Type 4 | 27028 | 0 | 40 | 70 | M12 | 37 |
| | 27046 | 0 | 55 | 150 | M20 | 42 |
| Silent block screw, Type 4 | 27030 | 0 | 25 | 75 | M12 | 37 |
| | 26982 | 0 | 10 | 15 | M4 | 10 |
| Silent block screw, Type 4 | 27032 | 0 | 40 | 75 | M12 | 37 |
| | 26985 | 0 | 8 | 20 | M6 | 15 |
| Silent block screw, Type 4 | 27033 | 0 | 45 | 75 | M12 | 37 |
| | 26991 | 0 | 8 | 25 | M6 | 18 |
| Silent block screw, Type 4 | 27034 | 0 | 50 | 75 | M12 | 37 |
| | 26994 | 0 | 17 | 25 | M6 | 18 |
| Silent block screw, Type 4 | 27036 | 2 | 70 | 75 | M12 | 37 |
| | 26996 | 0 | 23 | 25 | M6 | 18 |
| Silent block screw, Type 4 | 27035 | 0 | 55 | 75 | M12 | 37 |
| | 27000 | 0 | 17 | 30 | M8 | 20 |
| Silent block screw, Type 4 | 27038 | 0 | 40 | 100 | M16 | 42 |
| | 26998 | 0 | 30 | 25 | M6 | 18 |
| Silent block screw, Type 4 | 27039 | 0 | 50 | 100 | M16 | 42 |
| | 27047 | 0 | 60 | 150 | M20 | 42 |
| Silent block screw, Type 4 | 27040 | 0 | 55 | 100 | M16 | 42 |
| | 27003 | 0 | 28 | 30 | M8 | 20 |
| Silent block screw, Type 4 | 27042 | 0 | 75 | 100 | M16 | 42 |
| | 27009 | 0 | 27 | 40 | M8 | 20 |
| Silent block screw, Type 4 | 27041 | 0 | 60 | 100 | M16 | 42 |
| | 27010 | 0 | 28 | 40 | M8 | 20 |
| Silent block screw, Type 4 | 27045 | 0 | 50 | 150 | M20 | 42 |

| Product name | Product code | QTY | Length L (mm) | Diameter D (mm) | Diameter d (mm) | Screw length H (mm) |
|---|--------------|-----|---------------|-----------------|-----------------|---------------------|
| | 27020 | 0 | 42 | 50 | M10 | 28 |
| | 27023 | 0 | 25 | 60 | M12 | 32 |
| | 27031 | 0 | 30 | 75 | M12 | 37 |
| Silent block screw, Type 4 -- Clearance sale | 28193 | 4 | 30 | 40 | M10 | 28 |