

Závitové těsnící zátky se samotěsnícím břitem. Speciální břit, umožňuje perfektní zatěsnění i bez použití těsnících kroužků nebo jiných těsnících elementů. Tyto zátky jsou obzvlášť vhodné pro použití na šroubení hydraulických hadic a šroubení na hydraulických válcích. Hlava zátky je uzpůsobená pro optimální přitažení šroubovákem nebo šestihranným klíčem.

- **Materiál:** PA6
- **Barva:** žlutá

**Je možné, že nebude požadované množství skladem. V takovém případě se vám ozveme.**

## Selected variant

|                        |   |
|------------------------|---|
| <b>Product name</b>    | Threaded sealing plugs Type 1, PA 6, yellow |
| <b>Product code</b>    | 9071  |
| <b>BSP (inches)</b>    | G 3/4"                                      |
| <b>Sw</b>              | 24  |
| <b>Height H2 (mm)</b>  | 13  |
| <b>Height h1 (mm)</b>  | 12  |
| <b>Diameter D (mm)</b> | 32,3  |
| <b>Metric</b>          | -   |
| <b>UNF / UN</b>        | -   |

## Variants

| Product name                                | Product code | QTY | BSP (inches) | Sw | Height H2 (mm) | Height h1 (mm) | Diameter D (mm) | Metric   | UNF / UN |
|---|--------------|-----|--------------|----|----------------|----------------|-----------------|----------|----------|
| Threaded plugs sealing Type 1, PA 6, yellow | 08542        | 13  | -            | 10 | 10             | 7              | 14,2            | M 10x1   | -        |
| Threaded sealing plugs Type 1, PA 6, yellow | 09056        | 0   | -            | 13 | 10             | 10             | 17,2            | M 12x1,5 | -        |
| Sealing threaded plugs Type 1, PA 6, yellow | 28034        | 0   | -            | 13 | 10             | 11             | 25              | -        | 5/8"x18  |

| Product name                                   | Product code | QTY  | BSP (inches) | Sw | Height H2 (mm) | Height h1 (mm) | Diameter D (mm) | Metric   | UNF / UN |
|--|--------------|------|--------------|----|----------------|----------------|-----------------|----------|----------|
| Threaded plugs sealing Type 1, PA 6, yellow    | 28633        | 4    | G 1/2"       | 19 | 14             | 11             | 27              | -        | -        |
| Threaded sealing plugs Type 1, PA 6, yellow    | 09057        | 1251 | -            | 13 | 10             | 10             | 19,2            | M 14x1,5 | -        |
| Sealing plugs with thread Type 1, PA 6, yellow | 09067        | 0    | G 1/8"       | 13 | 10             | 9              | 16,8            | -        | -        |
| Threaded plugs sealing Type 1, PA 6, yellow    | 09068        | 0    | G 1/4"       | 13 | 10             | 9              | 19,2            | -        | -        |
| Threaded sealing plugs Type 1, PA 6, yellow    | 09075        | 0    | -            | 13 | 9              | 11             | 20,8            | -        | 7/16"x20 |
| Threaded sealing plugs Type 1, PA 6, yellow    | 09076        | 0    | -            | 13 | 10             | 11             | 22,6            | -        | 1/2"x20  |
| Threaded sealing plugs Type 1, PA 6, yellow    | 09077        | 1    | -            | 13 | 10             | 11             | 25              | -        | 9/16"x18 |
| Threaded sealing plugs Type 1, PA 6, yellow    | 09058        | 0    | -            | 17 | 10             | 10             | 22              | M 16x1,5 | -        |
| Threaded sealing plugs Type 1, PA 6, yellow    | 09059        | 192  | -            | 17 | 11             | 10             | 24              | M 18x1,5 | -        |
| Threaded sealing plugs Type 1, PA 6, yellow    | 09060        | 0    | -            | 19 | 14             | 10             | 26              | M 20x1,5 | -        |
| Threaded sealing plugs Type 1, PA 6, yellow    | 09061        | 0    | -            | 19 | 15             | 9              | 27,2            | M 22x1,5 | -        |
| Threaded sealing plugs Type 1, PA 6, yellow    | 09069        | 0    | G 3/8"       | 17 | 11             | 9              | 22,2            | -        | -        |

| Product name   | Product code | QTY | BSP (inches) | Sw | Height H2 (mm) | Height h1 (mm) | Diameter D (mm) | Metric   | UNF / UN   |
|--|--------------|-----|--------------|----|----------------|----------------|-----------------|----------|------------|
| Threaded sealing plugs Type 1, PA 6, yellow                          | 09070        | 955 | G 1/2"       | 19 | 13             | 12             | 27,2            | -        | -          |
| Adjustable leg with vulcanized foot ø60 mm and eye, galvanized steel | 09078        | 0   | -            | 17 | 12             | 12             | 24,8            | -        | 5/8"x18    |
| Zátky so závitom tesniace Typ 1, PA 6, žlté                          | 09062        | 0   | -            | 24 | 14             | 12             | 31,5            | M 24x1,5 | -          |
| Threaded sealing plugs Type 1, PA 6, yellow                          | 09063        | 252 | -            | 24 | 14             | 10             | 32              | M 26x1,5 | -          |
| Sealing threaded plugs Type 1, PA 6, yellow                          | 09064        | 0   | -            | 24 | 14             | 13             | 32,3            | M 27x2   | -          |
| Threaded sealing plugs Type 1, PA 6, yellow                          | 09071        | 0   | G 3/4"       | 24 | 13             | 12             | 32,3            | -        | -          |
| Sealing threaded caps Type 1, PA 6, yellow                           | 09079        | 0   | -            | 17 | 13             | 10             | 26              | -        | 3/4"x16    |
| Threaded sealing plugs Type 1, PA 6, yellow                          | 09080        | 0   | -            | 19 | 12             | 14             | 33,8            | -        | 7/8"x14    |
| Threaded sealing plugs Type 1, PA 6, yellow                          | 09065        | 0   | -            | 27 | 14             | 13             | 40,4            | M 33x2   | -          |
| Sealing thread plugs Type 1, PA 6, yellow                            | 09072        | 0   | G 1"         | 27 | 14             | 15             | 40              | -        | -          |
| Sealing threaded caps Type 1, PA 6, yellow                           | 09081        | 0   | -            | 24 | 12             | 14             | 40,8            | -        | 1.1/16"x12 |
| Thread sealing plugs Type 1, PA 6, yellow                            | 09082        | 0   | -            | 27 | 15             | 15             | 42              | -        | 1.5/16"x12 |

| Product name                                   | Product code | QTY | BSP (inches) | Sw | Height H2 (mm) | Height h1 (mm) | Diameter D (mm) | Metric | UNF / UN  |
|--|--------------|-----|--------------|----|----------------|----------------|-----------------|--------|-----------|
| Threaded sealing plugs Type 1, PA 6, yellow    | 09083        | 0   | -            | 36 | 15             | 17             | 55,5            | -      | 1.5/8"x12 |
| Threaded plugs sealing Type 1, PA 6, yellow    | 28634        | 300 | x            | x  | x              | x              | x               | x      | x         |
| Threaded plugs sealing Type 1, PA 6, yellow    | 09066        | 694 | -            | 36 | 15             | 13             | 50              | M 42x2 | -         |
| Sealing threaded plugs Type 1, PA 6, yellow    | 09073        | 282 | G 1,1/4"     | 36 | 15             | 15             | 50,4            | -      | -         |
| Zátky so závitom tesniace Typ 1, PA 6, žlté    | 09074        | 17  | G 1,1/2"     | 41 | 15             | 15             | 55,4            | -      | -         |
| Plugs with thread sealing Type 1, PA 6, yellow | 09084        | 0   | -            | 36 | 15             | 17             | 58              | -      | 1.5/8"x16 |
| Threaded sealing caps Type 1, PA 6, yellow     | 15769        | 230 | G 2"         | 55 | 15             | 15             | 68,4            | -      | -         |