

Nastavitelná upínací páka se šroubem z pozinkované oceli.

- **Materiál páky:** termoplast se skleněnými vlákny
- **Barva:** matná černá

Při dodržení minimálního množství je možné dodat i jiné barevné provedení

## Selected variant

|                             |   |
|-----------------------------|---|
| <b>Product name</b>         | Adjustable clamping lever with galvanized screw, PA+GF, black |
| <b>Product code</b>         | 18426   |
| <b>Diameter M (mm)</b>      | 33  |
| <b>Height h (mm)</b>        | 12  |
| <b>Diameter d (mm)</b>      | 25  |
| <b>Thread D</b>             | M14   |
| <b>Height H (mm)</b>        | 85  |
| <b>Length L (mm)</b>        | 100   |
| <b>Screw length L1 (mm)</b> | 30  |
| <b>Height C (mm)</b>        | 60  |
| <b>Weight (g)</b>           | 168   |

## Variants

| Product name  | Product code | QTY    | Diameter M (mm) | Height h (mm) | Diameter d (mm) | Thread D | Height H (mm) | Length L (mm) | Screw length L1 (mm) | Height C (mm) | Weight (g) |
|---|--------------|--------|-----------------|---------------|-----------------|----------|---------------|---------------|----------------------|---------------|------------|
| Adjustable clamping lever with galvanized screw, PA+GF, black | 17984        | 999999 | 20              | 9             | 14              | M6       | 51            | 55            | 25                   | 36            | 30         |

| Product name  | Product code | QTY    | Diameter M (mm) | Height h (mm) | Diameter d (mm) | Thread D | Height H (mm) | Length L (mm) | Screw length L1 (mm) | Height C (mm) | Weight (g) |
|---|--------------|--------|-----------------|---------------|-----------------|----------|---------------|---------------|----------------------|---------------|------------|
| Adjustable clamping lever with galvanized screw, PA+GF, black | 17985        | 999999 | 20              | 9             | 14              | M6       | 51            | 55            | 20                   | 36            | 30         |
| Adjustable clamping lever with galvanized screw, PA+GF, black | 17988        | 999999 | 20              | 9             | 14              | M8       | 51            | 55            | 15                   | 36            | 33         |
| Adjustable clamping lever with galvanized screw, PA+GF, black | 17986        | 0      | 20              | 9             | 14              | M6       | 51            | 55            | 30                   | 36            | 31         |
| Adjustable clamping lever with galvanized screw, PA+GF, black | 17987        | 999999 | 20              | 9             | 14              | M6       | 51            | 55            | 40                   | 36            | 33         |
| Adjustable clamping lever with galvanized screw, PA+GF, black | 17990        | 999999 | 20              | 9             | 14              | M8       | 51            | 55            | 25                   | 36            | 37         |

| Product name  | Product code | QTY    | Diameter M (mm) | Height h (mm) | Diameter d (mm) | Thread D | Height H (mm) | Length L (mm) | Screw length L1 (mm) | Height C (mm) | Weight (g) |
|---|--------------|--------|-----------------|---------------|-----------------|----------|---------------|---------------|----------------------|---------------|------------|
| Adjustable clamping lever with galvanized screw, PA+GF, black | 17989        | 999999 | 20              | 9             | 14              | M8       | 51            | 55            | 20                   | 36            | 35         |
| Adjustable clamping lever with galvanized screw, PA+GF, black | 17991        | 999999 | 20              | 9             | 14              | M8       | 51            | 55            | 30                   | 36            | 38         |
| Adjustable clamping lever with galvanized screw, PA+GF, black | 17993        | 999999 | 20              | 9             | 14              | M8       | 51            | 55            | 50                   | 36            | 45         |
| Adjustable clamping lever with galvanized screw, PA+GF, black | 17992        | 999999 | 20              | 9             | 14              | M8       | 51            | 55            | 40                   | 36            | 44         |
| Adjustable clamping lever with galvanized screw, PA+GF, black | 17996        | 999999 | 27              | 12            | 20              | M12      | 67            | 79            | 70                   | 48            | 120        |

| Product name  | Product code | QTY    | Diameter M (mm) | Height h (mm) | Diameter d (mm) | Thread D | Height H (mm) | Length L (mm) | Screw length L1 (mm) | Height C (mm) | Weight (g) |
|---|--------------|--------|-----------------|---------------|-----------------|----------|---------------|---------------|----------------------|---------------|------------|
| Adjustable clamping lever with galvanized screw, PA+GF, black | 17995        | 999999 | 20              | 9             | 14              | M8       | 51            | 55            | 35                   | 36            | 41         |
| Adjustable clamping lever with galvanized screw, PA+GF, black | 17994        | 999999 | 20              | 9             | 14              | M8       | 51            | 55            | 60                   | 36            | 49         |
| Adjustable clamping lever with galvanized screw, PA+GF, black | 17998        | 999999 | 27              | 12            | 20              | M8       | 67            | 79            | 30                   | 48            | 74         |
| Adjustable clamping lever with galvanized screw, PA+GF, black | 17997        | 999999 | 27              | 12            | 20              | M8       | 67            | 79            | 20                   | 48            | 72         |
| Adjustable clamping lever with galvanized screw, PA+GF, black | 17999        | 999999 | 27              | 12            | 20              | M8       | 67            | 79            | 35                   | 48            | 76         |

| Product name  | Product code | QTY    | Diameter M (mm) | Height h (mm) | Diameter d (mm) | Thread D | Height H (mm) | Length L (mm) | Screw length L1 (mm) | Height C (mm) | Weight (g) |
|---|--------------|--------|-----------------|---------------|-----------------|----------|---------------|---------------|----------------------|---------------|------------|
| Adjustable clamping lever with galvanized screw, PA+GF, black | 18001        | 999999 | 27              | 12            | 20              | M10      | 67            | 79            | 20                   | 48            | 74         |
| Adjustable clamping lever with galvanized screw, PA+GF, black | 18000        | 999999 | 27              | 12            | 20              | M8       | 67            | 79            | 40                   | 48            | 78         |
| Adjustable clamping lever with galvanized screw, PA+GF, black | 18002        | 999999 | 27              | 12            | 20              | M8       | 67            | 79            | 50                   | 48            | 81         |
| Adjustable clamping lever with galvanized screw, PA+GF, black | 18003        | 999999 | 27              | 12            | 20              | M10      | 67            | 79            | 30                   | 48            | 80         |
| Adjustable clamping lever with galvanized screw, PA+GF, black | 18004        | 999999 | 27              | 12            | 20              | M10      | 67            | 79            | 40                   | 48            | 85         |

| Product name  | Product code | QTY    | Diameter M (mm) | Height h (mm) | Diameter d (mm) | Thread D | Height H (mm) | Length L (mm) | Screw length L1 (mm) | Height C (mm) | Weight (g) |
|---|--------------|--------|-----------------|---------------|-----------------|----------|---------------|---------------|----------------------|---------------|------------|
| Adjustable clamping lever with galvanized screw, PA+GF, black | 18005        | 999999 | 27              | 12            | 20              | M12      | 67            | 79            | 20                   | 48            | 88         |
| Adjustable clamping lever with galvanized screw, PA+GF, black | 18006        | 999999 | 27              | 12            | 20              | M10      | 67            | 79            | 50                   | 48            | 89         |
| Adjustable clamping lever with galvanized screw, PA+GF, black | 18007        | 0      | 27              | 12            | 20              | M10      | 67            | 79            | 60                   | 48            | 94         |
| Adjustable clamping lever with galvanized screw, PA+GF, black | 18008        | 999999 | 27              | 12            | 20              | M12      | 67            | 79            | 30                   | 48            | 94         |
| Adjustable clamping lever with galvanized screw, PA+GF, black | 18009        | 999999 | 27              | 12            | 20              | M12      | 67            | 79            | 40                   | 48            | 101        |

| Product name  | Product code | QTY    | Diameter M (mm) | Height h (mm) | Diameter d (mm) | Thread D | Height H (mm) | Length L (mm) | Screw length L1 (mm) | Height C (mm) | Weight (g) |
|---|--------------|--------|-----------------|---------------|-----------------|----------|---------------|---------------|----------------------|---------------|------------|
| Adjustable clamping lever with galvanized screw, PA+GF, black | 18011        | 999999 | 27              | 12            | 20              | M12      | 67            | 79            | 60                   | 48            | 114        |
| Adjustable clamping lever with galvanized screw, PA+GF, black | 18010        | 999999 | 27              | 12            | 20              | M12      | 67            | 79            | 50                   | 48            | 108        |
| Adjustable clamping lever with galvanized screw, PA+GF, black | 18012        | 999999 | 27              | 12            | 20              | M10      | 67            | 79            | 25                   | 48            | 77         |
| Adjustable clamping lever with galvanized screw, PA+GF, black | 18411        | 999999 | 16              | 8             | 11              | M5       | 40            | 40            | 30                   | 32            | 20         |
| Adjustable clamping lever with galvanized screw, PA+GF, black | 18412        | 999999 | 16              | 8             | 11              | M6       | 40            | 40            | 20                   | 32            | 20         |

| Product name  | Product code | QTY    | Diameter M (mm) | Height h (mm) | Diameter d (mm) | Thread D | Height H (mm) | Length L (mm) | Screw length L1 (mm) | Height C (mm) | Weight (g) |
|---|--------------|--------|-----------------|---------------|-----------------|----------|---------------|---------------|----------------------|---------------|------------|
| Adjustable clamping lever with galvanized screw, PA+GF, black | 18413        | 999999 | 16              | 8             | 11              | M6       | 40            | 40            | 30                   | 32            | 24         |
| Adjustable clamping lever with galvanized screw, PA+GF, black | 18422        | 999999 | 33              | 12            | 25              | M12      | 85            | 100           | 40                   | 60            | 163        |
| Adjustable clamping lever with galvanized screw, PA+GF, black | 18421        | 999999 | 33              | 12            | 25              | M12      | 85            | 100           | 30                   | 60            | 156        |
| Adjustable clamping lever with galvanized screw, PA+GF, black | 18423        | 999999 | 33              | 12            | 25              | M12      | 85            | 100           | 50                   | 60            | 169        |
| Adjustable clamping lever with galvanized screw, PA+GF, black | 18424        | 999999 | 33              | 12            | 25              | M12      | 85            | 100           | 60                   | 60            | 176        |

| Product name  | Product code | QTY    | Diameter M (mm) | Height h (mm) | Diameter d (mm) | Thread D | Height H (mm) | Length L (mm) | Screw length L1 (mm) | Height C (mm) | Weight (g) |
|---|--------------|--------|-----------------|---------------|-----------------|----------|---------------|---------------|----------------------|---------------|------------|
| Adjustable clamping lever with galvanized screw, PA+GF, black | 18425        | 999999 | 33              | 12            | 25              | M12      | 85            | 100           | 70                   | 60            | 184        |
| Adjustable clamping lever with galvanized screw, PA+GF, black | 18427        | 999999 | 33              | 12            | 25              | M14      | 85            | 100           | 40                   | 60            | 180        |
| Adjustable clamping lever with galvanized screw, PA+GF, black | 18426        | 999999 | 33              | 12            | 25              | M14      | 85            | 100           | 30                   | 60            | 168        |
| Adjustable clamping lever with galvanized screw, PA+GF, black | 18428        | 999999 | 33              | 12            | 25              | M14      | 85            | 100           | 50                   | 60            | 196        |
| Adjustable clamping lever with galvanized screw, PA+GF, black | 18429        | 999999 | 33              | 12            | 25              | M14      | 85            | 100           | 60                   | 60            | 202        |

| Product name  | Product code | QTY    | Diameter M (mm) | Height h (mm) | Diameter d (mm) | Thread D | Height H (mm) | Length L (mm) | Screw length L1 (mm) | Height C (mm) | Weight (g) |
|---|--------------|--------|-----------------|---------------|-----------------|----------|---------------|---------------|----------------------|---------------|------------|
| Adjustable clamping lever with galvanized screw, PA+GF, black | 18431        | 999999 | 33              | 12            | 25              | M16      | 85            | 100           | 30                   | 60            | 193        |
| Adjustable clamping lever with galvanized screw, PA+GF, black | 18430        | 999999 | 33              | 12            | 25              | M14      | 85            | 100           | 70                   | 60            | 214        |
| Adjustable clamping lever with galvanized screw, PA+GF, black | 18433        | 999999 | 33              | 12            | 25              | M16      | 85            | 100           | 50                   | 60            | 223        |
| Adjustable clamping lever with galvanized screw, PA+GF, black | 18432        | 999999 | 33              | 12            | 25              | M16      | 85            | 100           | 40                   | 60            | 213        |
| Adjustable clamping lever with galvanized screw, PA+GF, black | 18434        | 999999 | 33              | 12            | 25              | M16      | 85            | 100           | 60                   | 60            | 250        |

| Product name  | Product code | QTY    | Diameter M (mm) | Height h (mm) | Diameter d (mm) | Thread D | Height H (mm) | Length L (mm) | Screw length L1 (mm) | Height C (mm) | Weight (g) |
|---|--------------|--------|-----------------|---------------|-----------------|----------|---------------|---------------|----------------------|---------------|------------|
| Adjustable clamping lever with galvanized screw, PA+GF, black | 18435        | 999999 | 33              | 12            | 25              | M16      | 85            | 100           | 70                   | 60            | 278        |