

Závitové těsnící zátky se samotěsnícím břitem. Speciální břit, umožňuje perfektní zatěsnění i bez použití těsnících kroužků nebo jiných těsnících elementů. Tyto zátky jsou obzvlášť vhodné pro použití na šroubení hydraulických hadic a šroubení na hydraulických válcích. Hlava zátky je uzpůsobená pro optimální přitažení šroubovákem nebo šestihranným klíčem.

- **Materiál:** PA6
- **Barva:** žlutá

**Je možné, že nebude požadované množství skladem. V takovém případě se vám ozveme.**

## Selected variant

<b>Product name</b>	Zátka so závitem tesniace Typ 1, PA 6, žlté
<b>Product code</b>	9074
<b>BSP (inches)</b>	G 1,1/2"
<b>Sw</b>	41
<b>Height H2 (mm)</b>	15
<b>Height h1 (mm)</b>	15
<b>Diameter D (mm)</b>	55,4
<b>Metric</b>	-
<b>UNF / UN</b>	-

## Variants

Product name	Product code	QTY	BSP (inches)	Sw	Height H2 (mm)	Height h1 (mm)	Diameter D (mm)	Metric	UNF / UN
Threaded plugs sealing Type 1, PA 6, yellow	08542	13	-	10	10	7	14,2	M 10x1	-
Threaded sealing plugs Type 1, PA 6, yellow	09056	0	-	13	10	10	17,2	M 12x1,5	-
Sealing threaded plugs Type 1, PA 6, yellow	28034	0	-	13	10	11	25	-	5/8"x18

Product name	Product code	QTY	BSP (inches)	Sw	Height H2 (mm)	Height h1 (mm)	Diameter D (mm)	Metric	UNF / UN
Threaded plugs sealing Type 1, PA 6, yellow	28633	4	G 1/2"	19	14	11	27	-	-
Threaded sealing plugs Type 1, PA 6, yellow	09057	1251	-	13	10	10	19,2	M 14x1,5	-
Sealing plugs with thread Type 1, PA 6, yellow	09067	0	G 1/8"	13	10	9	16,8	-	-
Threaded plugs sealing Type 1, PA 6, yellow	09068	0	G 1/4"	13	10	9	19,2	-	-
Threaded sealing plugs Type 1, PA 6, yellow	09075	0	-	13	9	11	20,8	-	7/16"x20
Threaded sealing plugs Type 1, PA 6, yellow	09076	0	-	13	10	11	22,6	-	1/2"x20
Threaded sealing plugs Type 1, PA 6, yellow	09077	1	-	13	10	11	25	-	9/16"x18
Threaded sealing plugs Type 1, PA 6, yellow	09058	0	-	17	10	10	22	M 16x1,5	-
Threaded sealing plugs Type 1, PA 6, yellow	09059	192	-	17	11	10	24	M 18x1,5	-
Threaded sealing plugs Type 1, PA 6, yellow	09060	0	-	19	14	10	26	M 20x1,5	-
Threaded sealing plugs Type 1, PA 6, yellow	09061	0	-	19	15	9	27,2	M 22x1,5	-
Threaded sealing plugs Type 1, PA 6, yellow	09069	0	G 3/8"	17	11	9	22,2	-	-

Product name	Product code	QTY	BSP (inches)	Sw	Height H2 (mm)	Height h1 (mm)	Diameter D (mm)	Metric	UNF / UN
Threaded sealing plugs Type 1, PA 6, yellow	09070	955	G 1/2"	19	13	12	27,2	-	-
Adjustable leg with vulcanized foot ø60 mm and eye, galvanized steel	09078	0	-	17	12	12	24,8	-	5/8"x18
Zátka so závitom tesniace Typ 1, PA 6, žlté	09062	0	-	24	14	12	31,5	M 24x1,5	-
Threaded sealing plugs Type 1, PA 6, yellow	09063	252	-	24	14	10	32	M 26x1,5	-
Sealing threaded plugs Type 1, PA 6, yellow	09064	0	-	24	14	13	32,3	M 27x2	-
Threaded sealing plugs Type 1, PA 6, yellow	09071	0	G 3/4"	24	13	12	32,3	-	-
Sealing threaded caps Type 1, PA 6, yellow	09079	0	-	17	13	10	26	-	3/4"x16
Threaded sealing plugs Type 1, PA 6, yellow	09080	0	-	19	12	14	33,8	-	7/8"x14
Threaded sealing plugs Type 1, PA 6, yellow	09065	0	-	27	14	13	40,4	M 33x2	-
Sealing thread plugs Type 1, PA 6, yellow	09072	0	G 1"	27	14	15	40	-	-
Sealing threaded caps Type 1, PA 6, yellow	09081	0	-	24	12	14	40,8	-	1.1/16"x12
Thread sealing plugs Type 1, PA 6, yellow	09082	0	-	27	15	15	42	-	1.5/16"x12

Product name	Product code	QTY	BSP (inches)	Sw	Height H2 (mm)	Height h1 (mm)	Diameter D (mm)	Metric	UNF / UN
Threaded sealing plugs Type 1, PA 6, yellow	09083	0	-	36	15	17	55,5	-	1.5/8"x12
Threaded plugs sealing Type 1, PA 6, yellow	28634	300	x	x	x	x	x	x	x
Threaded plugs sealing Type 1, PA 6, yellow	09066	694	-	36	15	13	50	M 42x2	-
Sealing threaded plugs Type 1, PA 6, yellow	09073	282	G 1,1/4"	36	15	15	50,4	-	-
Zátky so závitem tesniace Typ 1, PA 6, žlté	09074	17	G 1,1/2"	41	15	15	55,4	-	-
Plugs with thread sealing Type 1, PA 6, yellow	09084	0	-	36	15	17	58	-	1.5/8"x16
Threaded sealing caps Type 1, PA 6, yellow	15769	230	G 2"	55	15	15	68,4	-	-