

Silent blocks are standardly made of NR/SBR rubber with a hardness of 70 ±5 Shore.

Working temperature range from -20°C to 80°C.

These silent blocks are designed for pressure loads (axial load downwards). They are not intended for tensile or shear loads (axially upwards or radial loads).

**In case the product is not in stock in sufficient quantity, its delivery time can be up to 120 days.**

## Selected variant

<b>Product name</b>	
<b>Product code</b>	26893
<b>Diameter d (mm)</b>	M10
<b>Length L (mm)</b>	42
<b>Diameter D (mm)</b>	50
<b>Screw length H (mm)</b>	28

## Variants

Product name	Product code	QTY	Diameter d (mm)	Length L (mm)	Diameter D (mm)	Screw length H (mm)
	26917	0	M20	45	150	42
	26919	0	M20	55	150	42
	26920	0	M20	60	150	42
	26854	0	M4	8	15	10
	26858	0	M6	8	20	15
	26867	0	M6	17	25	18
	26869	0	M6	23	25	18
	26864	0	M6	8	25	18
	26873	0	M8	17	30	20
	26876	0	M8	28	30	20
	26882	0	M8	27	40	20

Product name	Product code	QTY	Diameter d (mm)	Length L (mm)	Diameter D (mm)	Screw length H (mm)
	26883	0	M8	28	40	20
	26887	0	M8	35	45	20
	26893	0	M10	42	50	28
	26906	0	M12	45	75	37
Silent block screw-screw, Type 1	26853	0	M4	10	10	10
Silent block screw-screw, Type 1	26855	20	M4	10	15	10
Silent block screw-screw, Type 1	26856	0	M4	15	15	10
Silent block screw-screw, Type 1	26859	0	M6	10	20	15
Silent block screw-screw, Type 1	26857	20	M4	20	15	10
Silent block screw-screw, Type 1	26861	4	M6	20	20	15
Silent block screw-screw, Type 1	26860	0	M6	15	20	15
Silent block screw-screw, Type 1	26862	0	M6	25	20	15
Silent block screw-screw, Type 1	26865	5	M6	10	25	18
Silentblok skrutka-skrutka, Typ 1	26863	1	M6	30	20	15
Silent block screw-screw, Type 1	26866	0	M6	15	25	18
Silent block screw-screw, Type 1	26868	0	M6	20	25	18
Silentblok skrutka-skrutka, Typ 1	26871	0	M6	30	25	18
Silent block screw-screw, Type 1	26872	1	M8	15	30	20
Silent block screw-screw, Type 1	26870	0	M6	25	25	18

Product name	Product code	QTY	Diameter d (mm)	Length L (mm)	Diameter D (mm)	Screw length H (mm)
Silent block screw-screw, Type 1	26875	332	M8	25	30	20
Silentblok skrutka-skrutka, Typ 1	26874	35	M8	20	30	20
Silent block screw-screw, Type 1	26877	4	M8	30	30	20
Silent block screw-screw, Type 1	26879	13	M8	35	35	20
Silent block screw-screw, Type 1	26878	0	M8	40	30	20
Silent block screw-screw, Type 1	26881	0	M8	25	40	20
Silent block screw-screw, Type 1	26880	10	M8	20	40	20
Silent block screw-screw, Type 1	26885	45	M8	40	40	20
Silent block screw-screw, Type 1	26884	6	M8	30	40	20
Silent block screw-screw, Type 1	26886	0	M8	25	45	20
Silent block screw-screw, Type 1	26888	10	M10	20	50	28
Silent block screw-screw, Type 1	26891	0	M10	35	50	28
Silent block screw-screw, Type 1	26889	0	M10	25	50	28
Silent block screw-screw, Type 1	26890	500	M10	30	50	28
Silent block screw-screw, Type 1	26892	0	M10	40	50	28
Silent block screw-screw, Type 1	26894	0	M10	45	50	28
Silent block screw-screw, Type 1	26895	5	M10	50	50	28

Product name	Product code	QTY	Diameter d (mm)	Length L (mm)	Diameter D (mm)	Screw length H (mm)
Silent block screw-screw, Type 1	26897	10	M12	30	60	32
Silent block screw-screw, Type 1	26896	0	M12	25	60	32
Silent block screw-screw, Type 1	26898	0	M12	35	60	32
Silent block screw-screw, Type 1	26901	9	M12	40	70	37
Silent block screw-screw, Type 1	26899	10	M12	40	60	32
Silent block screw-screw, Type 1	26900	0	M12	35	70	37
Silent block screw-screw, Type 1	26903	0	M12	25	75	37
Silent block screw-screw, Type 1	26904	10	M12	30	75	37
Silent block screw-screw, Type 1	26902	0	M12	45	70	37
Silent block screw-screw, Type 1	26905	10	M12	40	75	37
Silent block screw-screw, Type 1	26907	4	M12	50	75	37
Silent block screw-screw, Type 1	26909	9	M12	70	75	37
Silent block screw-screw, Type 1	26908	0	M12	55	75	37
Silent block screw-screw, Type 1	26912	9	M16	50	100	42
Silent block screw-screw, Type 1	26911	10	M16	40	100	42
Silent block screw-screw, Type 1	26913	0	M16	55	100	42
Silent block screw-screw, Type 1	26910	9	M16	30	100	42

**A components s.r.o.**

Bohunická 493/81

619 00 Brno

 Web: [www.acomponents.cz](http://www.acomponents.cz)

 E-mail: [info@acomponents.cz](mailto:info@acomponents.cz)

Telefon: 511 188 963

**Maloobchodní prodej**

Standardizované komponenty můžete objednávat také v našem e-shopu.

Skladové zboží expedujeme obvykle do 48 hodin od potvrzení objednávky.

Product name	Product code	QTY	Diameter d (mm)	Length L (mm)	Diameter D (mm)	Screw length H (mm)
Silent block screw-screw, Type 1	26915	0	M16	75	100	42
Silent block screw-screw, Type 1	26914	10	M16	60	100	42
Silent block screw-screw, Type 1	26916	0	M16	40	125	42
Silent block screw-screw, Type 1	26918	0	M20	50	150	42

**A components s.r.o.**

Bohunická 493/81

619 00 Brno

Web: [www.acomponents.cz](http://www.acomponents.cz)E-mail: [info@acomponents.cz](mailto:info@acomponents.cz)

Telefon: 511 188 963

**Maloobchodní prodej**

Standardizované komponenty můžete objednávat také v našem e-shopu.

Skladové zboží expedujeme obvykle do 48 hodin od potvrzení objednávky.