

- **Plug material:** thermoplastic with glass fibers
- **Thread material:** nickel-plated brass
- **Plug color:** black

A stainless steel thread can be made on request.

Variants

Product name	Product code	QTY	Diameter D1 (mm)	Thread F	Diameter D (mm)	Height H1 (mm)	Height H (mm)	Static load (N)
Load-bearing plug with round profile, thermoplastic	14105	0	28,5	M10	30	35	6	3200
Load Jack Plug with Round Profile, Thermoplastic	14106	10	28,5	M12	30	35	6	3200
Jack plug load-bearing with round profile, thermoplastic	14107	0	28,5	M14	30	35	6	3200
Load-bearing jack plug with round profile, thermoplastic	14108	10	28,5	M16	30	35	6	3200
Loading jack plug with round profile, thermoplastic	14109	12	35,5	M10	38	43	8	5500
Load-bearing plug with round profile, thermoplastic	14110	10	35,5	M12	38	43	8	5500
Load-bearing jack plug with round profile, thermoplastic	14111	0	35,5	M14	38	43	8	5500
Load-bearing jack plug with round profile, thermoplastic	14112	10	35,5	M16	38	43	8	5500
Load-bearing plug with round profile, thermoplastic	14113	0	39,5	M10	42	42	8	6500

A components s.r.o.

Bohunická 493/81

619 00 Brno

Web: www.acomponents.cz

E-mail: info@acomponents.cz

Telefon: 511 188 963

Maloobchodní prodej

Standardizované komponenty můžete objednávat také v našem e-shopu.

Skladové zboží expedujeme obvykle do 48 hodin od potvrzení objednávky.

Product name	Product code	QTY	Diameter D1 (mm)	Thread F	Diameter D (mm)	Height H1 (mm)	Height H (mm)	Static load (N)
Loading jack plug with round profile, thermoplastic	14114	0	39,5	M12	42	42	8	6500
Loading jack plug with round profile, thermoplastic	14115	0	39,5	M14	42	42	8	6500
Load-bearing jack plug with round profile, thermoplastic	14116	10	39,5	M16	42	42	8	6500
Load-bearing jack plug with round profile, thermoplastic	14117	10	39,5	M20	42	42	8	6500
Loading yack plug with round profile, thermoplastic	14118	0	45,5	M10	48	49	11	8000
Load-bearing jack plug with round profile, thermoplastic	14119	25	45,5	M12	48	49	11	8000
Loading LDPE plug with round profile, thermoplastic	14120	0	45,5	M14	48	49	11	8000
Load-bearing plug with round profile, thermoplastic	14121	16	45,5	M16	48	49	11	8000
0	14122	11	45,5	M20	48	49	11	8000
Load-bearing plug with round profile, thermoplastic	14123	10	47,5	M12	50	49	11	8500
Load-bearing jack plug with round profile, thermoplastic	14124	13	47,5	M14	50	49	11	8500
Load-bearing jack plug with round profile, thermoplastic	14125	13	47,5	M16	50	49	11	8500
Load-bearing plug with round profile, thermoplastic	14126	0	47,5	M20	50	49	11	8500

A components s.r.o.

Bohunická 493/81

619 00 Brno

 Web: www.acomponents.cz

 E-mail: info@acomponents.cz

Telefon: 511 188 963

Maloobchodní prodej

Standardizované komponenty můžete objednávat také v našem e-shopu.

Skladové zboží expedujeme obvykle do 48 hodin od potvrzení objednávky.

Product name	Product code	QTY	Diameter D1 (mm)	Thread F	Diameter D (mm)	Height H1 (mm)	Height H (mm)	Static load (N)
Load-bearing jack plug with round profile, thermoplastic	14127	0	57,5	M14	60	50	12	10000
Loading jack plug with round profile, thermoplastic	14128	0	57,5	M16	60	50	12	10000
Load-bearing plug with round profile, thermoplastic	14129	0	57,5	M20	60	50	12	10000
Load-bearing plug with round profile, thermoplastic	14130	0	57,5	M24	60	50	12	10000
Load-bearing plug with round profile, thermoplastic	14131	0	56,5	M14	60	50	12	10000
Loading jack plug with round profile, thermoplastic	14132	10	56,5	M16	60	50	12	10000
Load-bearing plug with round profile, thermoplastic	14133	10	56,5	M20	60	50	12	10000
Square-profile load-bearing plug, thermoplastic	14134	11	56,5	M24	60	50	12	10000
Load-bearing jack plug with round profile, thermoplastic	14135	0	55,5	M14	60	50	12	10000
Load-bearing jack plug with round profile, thermoplastic	14136	10	55,5	M16	60	50	12	10000
Load-bearing jack plug with round profile, thermoplastic	14137	10	55,5	M20	60	50	12	10000
Load-bearing plug with round profile, thermoplastic	14138	10	55,5	M24	60	50	12	10000

A components s.r.o.

Bohunická 493/81

619 00 Brno

 Web: www.acomponents.cz

 E-mail: info@acomponents.cz

Telefon: 511 188 963

Maloobchodní prodej

Standardizované komponenty můžete objednávat také v našem e-shopu.

Skladové zboží expedujeme obvykle do 48 hodin od potvrzení objednávky.