

Frame made of pressed steel - white zinc. Swivel head mounted on two ball bearings with a plastic dust cover. Wheel axle bolt/nut.

Polyamide wheel (Natural **white**), without protective center disc, center bearing on **needle** bearing.

In case the product is not in stock in sufficient quantity, its delivery time can be up to 120 days.

Selected variant

Product name	
Product code	27268
Length L (mm)	-
Fastening	Pevné
Load capacity (kg)	160
Height H (mm)	157
Width B (mm)	37,5
Board size S (mm)	85x100
Hole / Thread	-
Diameter D (mm)	125
Brake	-
Hole spacing R (mm)	60x80

Variants

Product name	Product code	QTY	Length L (mm)	Fastening	Load capacity (kg)	Height H (mm)	Width B (mm)	Board size S (mm)	Hole / Thread	Diameter D (mm)	Brake	Hole spacing R (mm)
Industrial wheel with PA disc, plain bearing, PA	27256	2	-	Deska	120	106	25	85x100	-	80	-	60x80

A components s.r.o.

Bohunická 493/81

619 00 Brno

Web: www.acomponents.cz

E-mail: info@acomponents.cz

Telefon: 511 188 963

Maloobchodní prodej

Standardizované komponenty můžete objednávat také v našem e-shopu.

Skladové zboží expedujeme obvykle do 48 hodin od potvrzení objednávky.

Product name	Product code	QTY	Length L (mm)	Fastening	Load capacity (kg)	Height H (mm)	Width B (mm)	Board size S (mm)	Hole / Thread	Diameter D (mm)	Brake	Hole spacing R (mm)
Industrial wheel with PA disc, plain bearing, PA	27257	2	-	Deska	120	106	25	85x100	-	80	+	60x80
Industrial wheel with PA disc, plain bearing, PA	27258	2	-	Deska	140	127	30	85x100	-	100	-	60x80
Industrial wheel with PA disc, plain bearing, PA	27259	6	-	Deska	140	127	30	85x100	-	100	+	60x80
Industrial wheel with PA disc, plain bearing, PA	27266	4	-	Pevné	120	106	25	85x100	-	80	-	60x80
Industrial wheel with PA disc, plain bearing, PA	27267	2	-	Pevné	140	127	30	85x100	-	100	-	60x80
	27268	0	-	Pevné	160	157	37,5	85x100	-	125	-	60x80
	27275	2	-	Díra	160	157	37,5	-	12	125	-	-
	27261	2	-	Deska	160	157	37,5	85x100	-	125	+	60x80
	27276	4	-	Díra	160	157	37,5	-	12	125	+	-

A components s.r.o.

Bohunická 493/81

619 00 Brno

 Web: www.acomponents.cz

 E-mail: info@acomponents.cz

Telefon: 511 188 963

Maloobchodní prodej

Standardizované komponenty můžete objednávat také v našem e-shopu.

Skladové zboží expedujeme obvykle do 48 hodin od potvrzení objednávky.

Product name	Product code	QTY	Length L (mm)	Fastening	Load capacity (kg)	Height H (mm)	Width B (mm)	Board size S (mm)	Hole / Thread	Diameter D (mm)	Brake	Hole spacing R (mm)
	27260	2	-	Deska	160	157	37,5	85x100	-	125	-	60x80
	27263	0	-	Deska	180	181	40	85x100	-	150	+	60x80
	27273	2	-	Díra	140	127	30	-	12	100	-	-
	27262	0	-	Deska	180	181	40	85x100	-	150	-	60x80
	27265	0	-	Deska	230	242	50	115x141	-	200	+	80x105
	27274	2	-	Díra	140	127	30	-	12	100	+	-
	27264	0	-	Deska	230	242	50	115x141	-	200	-	80x105
	27289	2	35	Šroub	230	242	50	-	M16	200	-	-
	27269	0	-	Pevné	180	181	40	85x100	-	150	-	60x80
	27272	0	-	Díra	120	106	25	-	12	80	+	-
	27270	0	-	Pevné	230	242	50	115x141	-	200	-	80x105
	27271	0	-	Díra	120	106	25	-	12	80	-	-
	27277	0	-	Díra	180	181	40	-	12	150	-	-
	27278	0	-	Díra	180	181	40	-	12	150	+	-
Industrial wheel with PA disc, plain bearing, PA	27290	2	35	Šroub	230	242	50	-	M16	200	+	-
	27280	0	-	Díra	230	242	50	-	12	200	+	-
	27281	0	30	Šroub	120	106	25	-	M16	80	-	-
	27279	0	-	Díra	230	242	50	-	12	200	-	-
	27282	0	30	Šroub	120	106	25	-	M16	80	+	-
	27284	0	30	Šroub	140	127	30	-	M16	100	+	-
	27283	0	30	Šroub	140	127	30	-	M16	100	-	-
	27287	0	30	Šroub	180	181	40	-	M16	150	-	-
	27286	0	30	Šroub	160	157	37,5	-	M16	125	+	-

Product name	Product code	QTY	Length L (mm)	Fastening	Load capacity (kg)	Height H (mm)	Width B (mm)	Board size S (mm)	Hole / Thread	Diameter D (mm)	Brake	Hole spacing R (mm)
	27285	0	30	Šroub	160	157	37,5	-	M16	125	-	-
	27288	0	30	Šroub	180	181	40	-	M16	150	+	-

A components s.r.o.

Bohunická 493/81

619 00 Brno

Web: www.acomponents.czE-mail: info@acomponents.cz

Telefon: 511 188 963

Maloobchodní prodej

Standardizované komponenty můžete objednávat také v našem e-shopu.

Skladové zboží expedujeme obvykle do 48 hodin od potvrzení objednávky.