

- **Insert material:** steel
- **Lever material:** zinc
- **Color:** black

A chrome-plated lever can be made on request.
A special insert, hole or color variant can be made on request.

Selected variant

Product name	Adjustable clamping lever with thread, metal
Product code	0
Weight (g)	315
Length L (mm)	94
Height F (mm)	44
Thread depth E (mm)	24
Height H (mm)	48
Height h (mm)	12
Length B (mm)	109
Diameter D (mm)	23
Height H1 (mm)	67
Thread d	M12

Variants

Product name	Product code	QTY	Weight (g)	Length L (mm)	Height F (mm)	Thread depth E (mm)	Height H (mm)	Height h (mm)	Length B (mm)	Diameter D (mm)	Height H1 (mm)	Thread d
Adjustable clamping lever with thread, metal	01432	0	33	44	21	8	23	5	52	9,5	36	M4

A components s.r.o.

Bohunická 493/81
619 00 Brno
Web: www.acomponents.cz
E-mail: info@acomponents.cz
Telefon: 511 188 963

Maloobchodní prodej

Standardizované komponenty můžete objednávat také v našem e-shopu.

Skladové zboží expedujeme obvykle do 48 hodin od potvrzení objednávky.

Product name	Product code	QTY	Weight (g)	Length L (mm)	Height F (mm)	Thread depth E (mm)	Height H (mm)	Height h (mm)	Length B (mm)	Diameter D (mm)	Height H1 (mm)	Thread d
Adjustable clamping lever with thread, metal	01439	0	35	44	21	8	23	5	52	9,5	36	M5
Adjustable clamping lever with thread, metal	01446	0	34	44	21	8	23	5	52	9,5	36	M6
Adjustable clamping lever with thread, metal	01453	0	72	65	28	11	33	10	75	11,5	47	M6
Adjustable clamping lever with thread, metal	01460	0	70	65	28	11	33	10	75	11,5	47	M8
Adjustable clamping lever with thread, metal	01467	0	298	94	44	24	48	12	109	23	67	M16
Adjustable clamping lever with thread, metal	01474	0	161	80	37	18	41	12	94	19	62	M12
Adjustable clamping lever with thread, metal	01481	13	167	80	37	18	41	12	94	19	62	M10

Product name	Product code	QTY	Weight (g)	Length L (mm)	Height F (mm)	Thread depth E (mm)	Height H (mm)	Height h (mm)	Length B (mm)	Diameter D (mm)	Height H1 (mm)	Thread d
Adjustable clamping lever with thread, metal	01488	0	308	94	44	24	48	12	109	23	67	M14
Adjustable clamping lever with thread, metal	01495	0	315	94	44	24	48	12	109	23	67	M12