

Adjustable clamping lever with stainless steel screw.

- **Lever material:** thermoplastic with glass fibers
- **Color:** matt black

Other colors can be supplied if the minimum quantity is met.

## Variants

| Product name                                                 | Product code | QTY | Height H1 (mm) | Length L (mm) | Weight (g) | Height h (mm) | Thread d | Diameter A (mm) | Height F (mm) | Screw length L1 (mm) | Diameter D (mm) | Length B (mm) |
|--------------------------------------------------------------|--------------|-----|----------------|---------------|------------|---------------|----------|-----------------|---------------|----------------------|-----------------|---------------|
| Adjustable clamping lever with screw, PA+GF, stainless steel | 13523        | 0   | 32             | 42            | 15         | 3             | M6       | 19              | 17            | 20                   | 12              | 50            |
| Adjustable clamping lever with screw, PA+GF, stainless steel | 13524        | 6   | 32             | 42            | 16         | 3             | M6       | 19              | 17            | 30                   | 12              | 50            |
| Adjustable clamping lever with screw, PA+GF, stainless steel | 13525        | 5   | 43             | 63            | 33         | 4             | M8       | 25              | 21            | 20                   | 15              | 73            |
| Adjustable clamping lever with screw, PA+GF, stainless steel | 13526        | 3   | 43             | 63            | 34         | 4             | M8       | 25              | 21            | 25                   | 15              | 73            |

### A components s.r.o.

Bohunická 493/81

619 00 Brno

Web: [www.acomponents.cz](http://www.acomponents.cz)

E-mail: [info@acomponents.cz](mailto:info@acomponents.cz)

Telefon: 511 188 963

### Maloobchodní prodej

Standardizované komponenty můžete objednávat také v našem e-shopu.

Skladové zboží expedujeme obvykle do 48 hodin od potvrzení objednávky.

| Product name                                                 | Product code | QTY    | Height H1 (mm) | Length L (mm) | Weight (g) | Height h (mm) | Thread d | Diameter A (mm) | Height F (mm) | Screw length L1 (mm) | Diameter D (mm) | Length B (mm) |
|--------------------------------------------------------------|--------------|--------|----------------|---------------|------------|---------------|----------|-----------------|---------------|----------------------|-----------------|---------------|
| Adjustable clamping lever with screw, PA+GF, stainless steel | 13527        | 6      | 43             | 63            | 36         | 4             | M8       | 25              | 21            | 30                   | 15              | 73            |
| Adjustable clamping lever with screw, PA+GF, stainless steel | 13528        | 0      | 54             | 80            | 58         | 6             | M10      | 30              | 27            | 25                   | 19              | 92            |
| Adjustable clamping lever with screw, PA+GF, stainless steel | 13529        | 5      | 54             | 80            | 61         | 6             | M10      | 30              | 27            | 30                   | 19              | 92            |
| Adjustable clamping lever with screw, PA+GF, stainless steel | 16520        | 999999 | 43             | 63            | 39         | 4             | M8       | 25              | 21            | 40                   | 15              | 73            |
| Adjustable clamping lever with screw, PA+GF, stainless steel | 16521        | 999999 | 43             | 63            | 40         | 4             | M8       | 25              | 21            | 50                   | 15              | 73            |

| Product name                                                 | Product code | QTY    | Height H1 (mm) | Length L (mm) | Weight (g) | Height h (mm) | Thread d | Diameter A (mm) | Height F (mm) | Screw length L1 (mm) | Diameter D (mm) | Length B (mm) |
|--------------------------------------------------------------|--------------|--------|----------------|---------------|------------|---------------|----------|-----------------|---------------|----------------------|-----------------|---------------|
| Adjustable clamping lever with screw, PA+GF, stainless steel | 16523        | 999999 | 54             | 80            | 52         | 6             | M8       | 30              | 27            | 30                   | 19              | 92            |
| Adjustable clamping lever with screw, PA+GF, stainless steel | 16524        | 999999 | 54             | 80            | 56         | 6             | M8       | 30              | 27            | 40                   | 19              | 92            |
| Adjustable clamping lever with screw, PA+GF, stainless steel | 16522        | 999999 | 54             | 80            | 49         | 6             | M8       | 30              | 27            | 20                   | 19              | 92            |
| Adjustable clamping lever with screw, PA+GF, stainless steel | 16525        | 999999 | 54             | 80            | 59         | 6             | M8       | 30              | 27            | 50                   | 19              | 92            |
| Adjustable clamping lever with screw, PA+GF, stainless steel | 16527        | 999999 | 54             | 80            | 71         | 6             | M10      | 30              | 27            | 50                   | 19              | 92            |

**A components s.r.o.**

Bohunická 493/81

619 00 Brno

 Web: [www.acomponents.cz](http://www.acomponents.cz)

 E-mail: [info@acomponents.cz](mailto:info@acomponents.cz)

Telefon: 511 188 963

**Maloobchodní prodej**

Standardizované komponenty můžete objednávat také v našem e-shopu.

Skladové zboží expedujeme obvykle do 48 hodin od potvrzení objednávky.

| Product name                                                 | Product code | QTY    | Height H1 (mm) | Length L (mm) | Weight (g) | Height h (mm) | Thread d | Diameter A (mm) | Height F (mm) | Screw length L1 (mm) | Diameter D (mm) | Length B (mm) |
|--------------------------------------------------------------|--------------|--------|----------------|---------------|------------|---------------|----------|-----------------|---------------|----------------------|-----------------|---------------|
| Adjustable clamping lever with screw, PA+GF, stainless steel | 16526        | 999999 | 54             | 80            | 66         | 6             | M10      | 30              | 27            | 40                   | 19              | 92            |