

- **Material:** Thermoplastic with glass fibers.
- **Color:** Matt black.

Threaded copper insert.

If the minimum quantity is met, other colors can also be supplied.

Selected variant

Product name	Adjustable clamping lever with thread, PA+GF
Product code	0
Height h (mm)	6
Height H (mm)	54
Height F (mm)	27
Length L (mm)	80
Thread D	M12
Height C (mm)	48
Length B (mm)	92
Diameter A (mm)	30
Diameter d (mm)	19
Weight (g)	45
Thread depth E (mm)	18

Variants

Product name	Product code	QTY	Height h (mm)	Height H (mm)	Height F (mm)	Length L (mm)	Thread D	Height C (mm)	Length B (mm)	Diameter A (mm)	Diameter d (mm)	Weight (g)
Adjustable clamping lever with thread, PA+GF	17620	999999	3	32	17	42	M4	29	50	19	12	11

Product name	Product code	QTY	Height h (mm)	Height H (mm)	Height F (mm)	Length L (mm)	Thread D	Height C (mm)	Length B (mm)	Diameter A (mm)	Diameter d (mm)	Weight (g)
Adjustable clamping lever with thread, PA+GF	17621	999999	3	32	17	42	M5	29	50	19	12	11
Adjustable clamping lever with thread, PA+GF	17622	999999	3	32	17	42	M6	29	50	19	12	11
Adjustable clamping lever with thread, PA+GF	17629	999999	4	43	21	63	M5	39	73	25	15	23
Adjustable clamping lever with thread, PA+GF	17630	999999	4	43	21	63	M6	39	73	25	15	23
Adjustable clamping lever with thread, PA+GF	17631	999999	4	43	21	63	M8	39	73	25	15	24
Adjustable clamping lever with thread, PA+GF	17646	999999	6	54	27	80	M10	48	92	30	19	44
Adjustable clamping lever with thread, PA+GF	17645	999999	6	54	27	80	M8	48	92	30	19	44

Product name	Product code	QTY	Height h (mm)	Height H (mm)	Height F (mm)	Length L (mm)	Thread D	Height C (mm)	Length B (mm)	Diameter A (mm)	Diameter d (mm)	Weight (g)
Adjustable clamping lever with thread, PA+GF	17647	999999	6	54	27	80	M12	48	92	30	19	45
O-rings - Clearance sale	17664	999999	8	66	30	100	M12	58	115	36	25	83
Adjustable clamping lever with thread, PA+GF	17665	999999	8	66	30	100	M14	58	115	36	25	84
Adjustable clamping lever with thread, PA+GF	17666	999999	8	66	30	100	M16	58	115	36	25	87