

- **Material:** Thermoplastic with glass fibers.
- **Color:** Matte black.

Threaded copper insert.

Other colors can be supplied if the minimum quantity is met.

## Selected variant

<b>Product name</b>	Adjustable clamping lever with thread, PA+GF
<b>Product code</b>	0
<b>Height h (mm)</b>	4
<b>Height H (mm)</b>	43
<b>Height F (mm)</b>	21
<b>Length L (mm)</b>	63
<b>Thread D</b>	M8
<b>Height C (mm)</b>	39
<b>Length B (mm)</b>	73
<b>Diameter A (mm)</b>	25
<b>Diameter d (mm)</b>	15
<b>Weight (g)</b>	24
<b>Thread depth E (mm)</b>	13

## Variants

Product name	Product code	QTY	Height h (mm)	Height H (mm)	Height F (mm)	Length L (mm)	Thread D	Height C (mm)	Length B (mm)	Diameter A (mm)	Diameter d (mm)	Weight (g)
Adjustable clamping lever with thread, PA+GF	17620	999999	3	32	17	42	M4	29	50	19	12	11

Product name	Product code	QTY	Height h (mm)	Height H (mm)	Height F (mm)	Length L (mm)	Thread D	Height C (mm)	Length B (mm)	Diameter A (mm)	Diameter d (mm)	Weight (g)
Adjustable clamping lever with thread, PA+GF	17621	999999	3	32	17	42	M5	29	50	19	12	11
Adjustable clamping lever with thread, PA+GF	17622	999999	3	32	17	42	M6	29	50	19	12	11
Adjustable clamping lever with thread, PA+GF	17629	999999	4	43	21	63	M5	39	73	25	15	23
Adjustable clamping lever with thread, PA+GF	17630	999999	4	43	21	63	M6	39	73	25	15	23
Adjustable clamping lever with thread, PA+GF	17631	999999	4	43	21	63	M8	39	73	25	15	24
Adjustable clamping lever with thread, PA+GF	17646	999999	6	54	27	80	M10	48	92	30	19	44
Adjustable clamping lever with thread, PA+GF	17645	999999	6	54	27	80	M8	48	92	30	19	44

Product name	Product code	QTY	Height h (mm)	Height H (mm)	Height F (mm)	Length L (mm)	Thread D	Height C (mm)	Length B (mm)	Diameter A (mm)	Diameter d (mm)	Weight (g)
Adjustable clamping lever with thread, PA+GF	17647	999999	6	54	27	80	M12	48	92	30	19	45
O-rings - Clearance sale	17664	999999	8	66	30	100	M12	58	115	36	25	83
Adjustable clamping lever with thread, PA+GF	17665	999999	8	66	30	100	M14	58	115	36	25	84
Adjustable clamping lever with thread, PA+GF	17666	999999	8	66	30	100	M16	58	115	36	25	87