

- **Plug material:** glass-fiber reinforced thermoplastic
- **Thread material:** nickel-plated brass
- **Plug color:** black

On request, a stainless steel thread can be made.

Selected variant

| | |
|------------------------|---|
| Product name | Zátka jaklu zátěžová se štvorcovým profilom, termoplast |
| Product code | 14159 |
| Length Q1 (mm) | 47,5 |
| Height H (mm) | 10 |
| Static load (N) | 9500 |
| Length Q (mm) | 50 |
| Thread F | M16 |
| Height H1 (mm) | 55 |

Variants

| Product name | Product code | QTY | Length Q1 (mm) | Height H (mm) | Static load (N) | Length Q (mm) | Thread F | Height H1 (mm) |
|---|--------------|-----|----------------|---------------|-----------------|---------------|----------|----------------|
| Loading plug with square profile, thermoplastic | 14139 | 13 | 27,5 | 6 | 5500 | 30 | M10 | 33 |
| Loading caster plug with square profile, thermoplastic | 14140 | 10 | 27,5 | 6 | 5500 | 30 | M12 | 33 |
| Load-bearing jack plug with square profile, thermoplastic | 14141 | 0 | 27,5 | 6 | 5500 | 30 | M14 | 33 |
| Square-profile load-bearing plug, thermoplastic | 14142 | 0 | 27,5 | 6 | 5500 | 30 | M16 | 33 |
| Load-bearing plug with square profile, thermoplastic | 14143 | 14 | 32,5 | 8 | 7000 | 35 | M10 | 43 |

| Product name | Product code | QTY | Length Q1 (mm) | Height H (mm) | Static load (N) | Length Q (mm) | Thread F | Height H1 (mm) |
|---|--------------|-----|----------------|---------------|-----------------|---------------|----------|----------------|
| Square profile load-bearing jack plug, thermoplastic | 14144 | 6 | 32,5 | 8 | 7000 | 35 | M12 | 43 |
| Load-bearing jack plug with square profile, thermoplastic | 14145 | 0 | 32,5 | 8 | 7000 | 35 | M14 | 43 |
| Loading jack plug with square profile, thermoplastic | 14146 | 0 | 32,5 | 8 | 7000 | 35 | M16 | 43 |
| Load-bearing shim plug with square profile, thermoplastic | 14147 | 0 | 37,5 | 8 | 8000 | 40 | M10 | 43 |
| Load-bearing jack plug with square profile, thermoplastic | 14148 | 20 | 37,5 | 8 | 8000 | 40 | M12 | 43 |
| Square profile load-bearing plug, thermoplastic | 14149 | 0 | 37,5 | 8 | 8000 | 40 | M14 | 43 |
| Loading yak plug with square profile, thermoplastic | 14150 | 0 | 37,5 | 8 | 8000 | 40 | M16 | 43 |
| Square jack plug, load, thermoplastic | 14151 | 0 | 37,5 | 8 | 8000 | 40 | M20 | 43 |
| Load-bearing jack plug with square profile, thermoplastic | 14152 | 10 | 36,5 | 8 | 8000 | 40 | M10 | 43 |
| Square profile load-bearing plug, thermoplastic | 14153 | 7 | 36,5 | 8 | 8000 | 40 | M12 | 43 |
| Loading jack plug with square profile, thermoplastic | 14154 | 0 | 36,5 | 8 | 8000 | 40 | M14 | 43 |
| Loading jack plug with square profile, thermoplastic | 14155 | 12 | 36,5 | 8 | 8000 | 40 | M16 | 43 |
| Square profile load-bearing jack plug, thermoplastic | 14156 | 3 | 36,5 | 8 | 8000 | 40 | M20 | 43 |

| Product name | Product code | QTY | Length Q1 (mm) | Height H (mm) | Static load (N) | Length Q (mm) | Thread F | Height H1 (mm) |
|---|--------------|-----|----------------|---------------|-----------------|---------------|----------|----------------|
| Load-bearing jack plug with square profile, thermoplastic | 14157 | 0 | 47,5 | 10 | 9500 | 50 | M12 | 55 |
| Load-bearing jack plug with square profile, thermoplastic | 14158 | 0 | 47,5 | 10 | 9500 | 50 | M14 | 55 |
| Zátka jaklu zátěžová se štvorcovým profilem, termoplast | 14159 | 0 | 47,5 | 10 | 9500 | 50 | M16 | 55 |
| Loading jack plug with square profile, thermoplastic | 14160 | 0 | 47,5 | 10 | 9500 | 50 | M20 | 55 |
| Loading jack plug with square profile, thermoplastic | 14161 | 14 | 45,5 | 10 | 9500 | 50 | M12 | 55 |
| Zátka jaklu zátěžová se štvorcovým profilem, termoplast | 14162 | 0 | 45,5 | 10 | 9500 | 50 | M14 | 55 |
| Loading plug with square profile, thermoplastic | 14163 | 12 | 45,5 | 10 | 9500 | 50 | M16 | 55 |
| Load-bearing jack plug with square profile, thermoplastic | 14164 | 13 | 45,5 | 10 | 9500 | 50 | M20 | 55 |