

- **Foot material:** glass-fibre reinforced thermoplastic
- **Screw material:** stainless steel
- **Foot color:** black

Static load, mentioned below in parameters, is calculated on the center of the screw. In case of vibrations or dynamic loads, these values are reduced.

You can order [special anti-slip pad](#) for this product.

## Zvolená varianta

<b>Název produktu</b>	Stavitelná noha s patkou ø83mm, šroub M10x50mm s otvory pro kotvení, PA+GF-nerez
<b>Kód</b>	13849
<b>Výška patky G (mm)</b>	27
<b>Výška A (mm)</b>	38
<b>Průměr patky D (mm)</b>	83
<b>Klíč SW</b>	14
<b>Výška s podložkou H1 (mm)</b>	91
<b>Závit F</b>	M10
<b>Délka šroubu B (mm)</b>	50
<b>Rozteč K (mm)</b>	55
<b>Statické zatížení (N)</b>	15000
<b>Průměr otvoru L (mm)</b>	8,5
<b>Výška bez podložky H (mm)</b>	88

## Varianty produktu

Název produktu	Kód	QTY	Výška patky G (mm)	Výška A (mm)	Průměr patky D (mm)	Klíč SW	Výška s podložkou H1 (mm)	Závit F	Délka šroubu B (mm)	Rozteč K (mm)	Statické zatížení (N)	Průměr otvoru L (mm)	Výška bez podložky H (mm)

Stavitelná noha s patkou ø83mm, šroub M10x50mm s otvory pro kotvení, PA+GF- nerez	13849	0	27	38	83	14	91	M10	50	55	15000	8,5	88
Stavitelná noha s patkou ø83mm, šroub M10x75mm s otvory pro kotvení, PA+GF- nerez	13850	0	27	38	83	14	116	M10	75	55	15000	8,5	113
Stavitelná noha s patkou ø83mm, šroub M10x100mm s otvory pro kotvení, PA+GF- nerez	13851	0	27	38	83	14	141	M10	100	55	15000	8,5	138
Stavitelná noha s patkou ø83mm, šroub M10x125mm s otvory pro kotvení, PA+GF- nerez	13852	0	27	38	83	14	166	M10	125	55	15000	8,5	163

Stavitelná noha s patkou ø83mm, šroub M12x50mm s otvory pro kotvení, PA+GF- nerez	13853	0	27	38	83	14	91	M12	50	55	15000	8,5	88
Stavitelná noha s patkou ø83mm, šroub M12x75mm s otvory pro kotvení, PA+GF- nerez	13854	0	27	38	83	14	116	M12	75	55	15000	8,5	113
Stavitelná noha s patkou ø83mm, šroub M12x100mm s otvory pro kotvení, PA+GF- nerez	13855	0	27	38	83	14	141	M12	100	55	15000	8,5	138
Stavitelná noha s patkou ø83mm, šroub M12x125mm s otvory pro kotvení, PA+GF- nerez	13856	0	27	38	83	14	166	M12	125	55	15000	8,5	163

Stavitelná noha s patkou ø83mm, šroub M14x50mm s otvory pro kotvení, PA+GF- nerez	13857	0	27	38	83	14	91	M14	50	55	20000	8,5	88
Stavitelná noha s patkou ø83mm, šroub M14x75mm s otvory pro kotvení, PA+GF- nerez	13858	0	27	38	83	14	116	M14	75	55	20000	8,5	113
Stavitelná noha s patkou ø83mm, šroub M14x100mm s otvory pro kotvení, PA+GF- nerez	13859	0	27	38	83	14	141	M14	100	55	20000	8,5	138
Stavitelná noha s patkou ø83mm, šroub M14x125mm s otvory pro kotvení, PA+GF- nerez	13860	0	27	38	83	14	166	M14	125	55	20000	8,5	163

Stavitelná noha s patkou ø83mm, šroub M14x150mm s otvory pro kotvení, PA+GF- nerez	13861	0	27	38	83	14	191	M14	150	55	20000	8,5	188
Stavitelná noha s patkou ø83mm, šroub M14x175mm s otvory pro kotvení, PA+GF- nerez	13862	0	27	38	83	14	216	M14	175	55	20000	8,5	213
Stavitelná noha s patkou ø83mm, šroub M20x100mm s otvory pro kotvení, PA+GF- nerez	14412	0	27	41	83	17	144	M20	100	55	20000	8,5	141
Stavitelná noha s patkou ø83mm, šroub M16x50mm s otvory pro kotvení, PA+GF- nerez	13929	0	27	41	83	13	94	M16	50	55	20000	8,5	91

Stavitelná noha s patkou ø83mm, šroub M16x75mm s otvory pro kotvení, PA+GF- nerez	13930	0	27	41	83	13	119	M16	75	55	20000	8,5	116
Stavitelná noha s patkou ø83mm, šroub M16x100mm s otvory pro kotvení, PA+GF- nerez	13931	0	27	41	83	13	144	M16	100	55	20000	8,5	141
Stavitelná noha s patkou ø83mm, šroub M16x125mm s otvory pro kotvení, PA+GF- nerez	13932	0	27	41	83	13	169	M16	125	55	20000	8,5	166
Stavitelná noha s patkou ø83mm, šroub M16x150mm s otvory pro kotvení, PA+GF- nerez	13933	0	27	41	83	13	194	M16	150	55	20000	8,5	191

Stavitelná noha s patkou ø83mm, šroub M16x175mm s otvory pro kotvení, PA+GF- nerez	13934	0	27	41	83	13	219	M16	175	55	20000	8,5	216
Stavitelná noha s patkou ø83mm, šroub M16x200mm s otvory pro kotvení, PA+GF- nerez	13935	0	27	41	83	13	244	M16	200	55	20000	8,5	241
Stavitelná noha s patkou ø83mm, šroub M20x75mm s otvory pro kotvení, PA+GF- nerez	14411	0	27	41	83	17	119	M20	75	55	20000	8,5	116
Stavitelná noha s patkou ø83mm, šroub M20x125mm s otvory pro kotvení, PA+GF- nerez	14413	0	27	41	83	17	169	M20	125	55	20000	8,5	166

Stavitelná noha s patkou ø83mm, šroub M20x150mm s otvory pro kotvení, PA+GF- nerez	14414	0	27	41	83	17	194	M20	150	55	20000	8,5	191
Stavitelná noha s patkou ø83mm, šroub M20x175mm s otvory pro kotvení, PA+GF- nerez	14415	0	27	41	83	17	219	M20	175	55	20000	8,5	216
Stavitelná noha s patkou ø83mm, šroub M20x200mm s otvory pro kotvení, PA+GF- nerez	14416	0	27	41	83	17	244	M20	200	55	20000	8,5	241
Stavitelná noha s patkou ø83mm, šroub M20x225mm s otvory pro kotvení, PA+GF- nerez	14417	0	27	41	83	17	269	M20	225	55	20000	8,5	266

Stavitelná noha s patkou ø83mm, šroub M12x150mm s otvory pro kotvení, PA+GF- nerez	28399	0	18	30	83	10	180	M12	150	55	13000	54	177
---	-------	---	----	----	----	----	-----	-----	-----	----	-------	----	-----