

- **Foot material:** thermoplastic with glass fibers
- **Screw material:** galvanized steel
- **Foot color:** black

The static load, mentioned below in the parameters, is calculated on the center of the screw. In the case of vibrations or dynamic loads, these values are reduced.

You can order [a special anti-slip pad](#) for this product.

## Zvolená varianta

|                           |                                                                                 |
|---------------------------|---------------------------------------------------------------------------------|
| Název produktu            | Stavitelná noha s patkou ø83mm, šroub M20x75mm s otvory pro kotvení, PA+GF-ocel |
| Kód                       | 14391                                                                           |
| Výška s podložkou H1 (mm) | 119                                                                             |
| Výška patky G (mm)        | 27                                                                              |
| Průměr patky D (mm)       | 83                                                                              |
| Průměr otvoru L (mm)      | 8,5                                                                             |
| Výška A (mm)              | 41                                                                              |
| Délka šroubu B (mm)       | 75                                                                              |
| Rozteč K (mm)             | 55                                                                              |
| Výška bez podložky H (mm) | 116                                                                             |
| Závit F                   | M20                                                                             |
| Statické zatížení (N)     | 20000                                                                           |
| Klíč SW                   | 17                                                                              |

## Varianty produktu

| Název produktu | Kód | QTY | Výška s podložkou H1 (mm) | Výška patky G (mm) | Průměr patky D (mm) | Průměr otvoru L (mm) | Výška A (mm) | Délka šroubu B (mm) | Rozteč K (mm) | Výška bez podložky H (mm) | Závit F | Statické zatížení (N) | Klíč SW |
|----------------|-----|-----|---------------------------|--------------------|---------------------|----------------------|--------------|---------------------|---------------|---------------------------|---------|-----------------------|---------|
|----------------|-----|-----|---------------------------|--------------------|---------------------|----------------------|--------------|---------------------|---------------|---------------------------|---------|-----------------------|---------|

|                                                                                                                                 |       |   |     |    |    |     |    |     |    |     |     |       |    |
|---------------------------------------------------------------------------------------------------------------------------------|-------|---|-----|----|----|-----|----|-----|----|-----|-----|-------|----|
| Stavitelná<br>noha s<br>patkou ø83<br>mm, šroub<br>M16x100<br>mm s otvory<br>pro kotvení,<br>PA+GF-ocel,<br>protiskluzová<br>po | 28396 | 4 | 133 | 18 | 83 | 8,5 | 30 | 100 | 54 | 130 | M16 | 16000 | 13 |
| Stavitelná<br>noha s<br>patkou<br>ø83mm,<br>šroub<br>M20x100mm<br>s otvory pro<br>kotvení,<br>PA+GF-ocel                        | 14251 | 0 | 144 | 27 | 83 | 8,5 | 41 | 100 | 55 | 141 | M20 | 20000 | 17 |
| Stavitelná<br>noha s<br>patkou<br>ø83mm,<br>šroub<br>M16x50mm<br>s otvory pro<br>kotvení,<br>PA+GF-ocel                         | 13896 | 0 | 91  | 27 | 83 | 8,5 | 38 | 50  | 55 | 88  | M16 | 20000 | 16 |
| Stavitelná<br>noha s<br>patkou<br>ø83mm,<br>šroub<br>M16x75mm<br>s otvory pro<br>kotvení,<br>PA+GF-ocel                         | 13897 | 0 | 116 | 27 | 83 | 8,5 | 38 | 75  | 55 | 113 | M16 | 20000 | 16 |
| Stavitelná<br>noha s<br>patkou<br>ø83mm,<br>šroub<br>M16x100mm<br>s otvory pro<br>kotvení,<br>PA+GF-ocel                        | 13898 | 0 | 141 | 27 | 83 | 8,5 | 38 | 100 | 55 | 138 | M16 | 20000 | 16 |

|                                                                                                          |       |   |     |    |    |     |    |     |    |     |     |       |    |
|----------------------------------------------------------------------------------------------------------|-------|---|-----|----|----|-----|----|-----|----|-----|-----|-------|----|
| Stavitelná<br>noha s<br>patkou<br>ø83mm,<br>šroub<br>M16x125mm<br>s otvory pro<br>kotvení,<br>PA+GF-ocel | 13899 | 0 | 166 | 27 | 83 | 8,5 | 38 | 125 | 55 | 163 | M16 | 20000 | 16 |
| Stavitelná<br>noha s<br>patkou<br>ø83mm,<br>šroub<br>M16x150mm<br>s otvory pro<br>kotvení,<br>PA+GF-ocel | 13900 | 0 | 191 | 27 | 83 | 8,5 | 38 | 150 | 55 | 188 | M16 | 20000 | 16 |
| Stavitelná<br>noha s<br>patkou<br>ø83mm,<br>šroub<br>M16x175mm<br>s otvory pro<br>kotvení,<br>PA+GF-ocel | 13901 | 0 | 216 | 27 | 83 | 8,5 | 38 | 175 | 55 | 213 | M16 | 20000 | 16 |
| Stavitelná<br>noha s<br>patkou<br>ø83mm,<br>šroub<br>M16x200mm<br>s otvory pro<br>kotvení,<br>PA+GF-ocel | 13902 | 0 | 241 | 27 | 83 | 8,5 | 38 | 200 | 55 | 238 | M16 | 20000 | 16 |
| Stavitelná<br>noha s<br>patkou<br>ø83mm,<br>šroub<br>M20x75mm<br>s otvory pro<br>kotvení,<br>PA+GF-ocel  | 14391 | 0 | 119 | 27 | 83 | 8,5 | 41 | 75  | 55 | 116 | M20 | 20000 | 17 |

|                                                                                                          |       |   |     |    |    |     |    |     |    |     |     |       |    |
|----------------------------------------------------------------------------------------------------------|-------|---|-----|----|----|-----|----|-----|----|-----|-----|-------|----|
| Stavitelná<br>noha s<br>patkou<br>ø83mm,<br>šroub<br>M20x125mm<br>s otvory pro<br>kotvení,<br>PA+GF-ocel | 14392 | 0 | 169 | 27 | 83 | 8,5 | 41 | 125 | 55 | 166 | M20 | 20000 | 17 |
| Stavitelná<br>noha s<br>patkou<br>ø83mm,<br>šroub<br>M20x150mm<br>s otvory pro<br>kotvení,<br>PA+GF-ocel | 14393 | 0 | 194 | 27 | 83 | 8,5 | 41 | 150 | 55 | 191 | M20 | 20000 | 17 |
| Stavitelná<br>noha s<br>patkou<br>ø83mm,<br>šroub<br>M20x175mm<br>s otvory pro<br>kotvení,<br>PA+GF-ocel | 14394 | 0 | 219 | 27 | 83 | 8,5 | 41 | 175 | 55 | 216 | M20 | 20000 | 17 |
| Stavitelná<br>noha s<br>patkou<br>ø83mm,<br>šroub<br>M20x200mm<br>s otvory pro<br>kotvení,<br>PA+GF-ocel | 14395 | 0 | 244 | 27 | 83 | 8,5 | 41 | 200 | 55 | 241 | M20 | 20000 | 17 |
| Stavitelná<br>noha s<br>patkou<br>ø83mm,<br>šroub<br>M20x225mm<br>s otvory pro<br>kotvení,<br>PA+GF-ocel | 14396 | 0 | 269 | 27 | 83 | 8,5 | 41 | 225 | 55 | 266 | M20 | 20000 | 17 |

|                                                                                                           |       |   |     |    |     |      |    |     |    |     |     |       |    |
|-----------------------------------------------------------------------------------------------------------|-------|---|-----|----|-----|------|----|-----|----|-----|-----|-------|----|
| Stavitelná<br>noha s<br>patkou<br>ø103mm,<br>šroub<br>M16x100mm<br>s otvory pro<br>kotvení,<br>PA+GF-ocel | 29226 | 1 | -   | 20 | 103 | 12,5 | 32 | 100 | 73 | 132 | M16 | 18000 | 13 |
| Stavitelná<br>noha s<br>patkou<br>ø83mm,<br>šroub<br>M10x50mm<br>s otvory pro<br>kotvení,<br>PA+GF-ocel   | 13802 | 0 | 91  | 27 | 83  | 8,5  | 38 | 50  | 55 | 88  | M10 | 15000 | 14 |
| Stavitelná<br>noha s<br>patkou<br>ø83mm,<br>šroub<br>M10x75mm<br>s otvory pro<br>kotvení,<br>PA+GF-ocel   | 13803 | 0 | 116 | 27 | 83  | 8,5  | 38 | 75  | 55 | 113 | M10 | 15000 | 14 |
| Stavitelná<br>noha s<br>patkou<br>ø83mm,<br>šroub<br>M10x100mm<br>s otvory pro<br>kotvení,<br>PA+GF-ocel  | 13804 | 0 | 141 | 27 | 83  | 8,5  | 38 | 100 | 55 | 138 | M10 | 15000 | 14 |
| Stavitelná<br>noha s<br>patkou<br>ø83mm,<br>šroub<br>M10x125mm<br>s otvory pro<br>kotvení,<br>PA+GF-ocel  | 13805 | 0 | 166 | 27 | 83  | 8,5  | 38 | 125 | 55 | 163 | M10 | 15000 | 14 |

|                                                                                                          |       |   |     |    |    |     |    |     |    |     |     |       |    |
|----------------------------------------------------------------------------------------------------------|-------|---|-----|----|----|-----|----|-----|----|-----|-----|-------|----|
| Stavitelná<br>noha s<br>patkou<br>ø83mm,<br>šroub<br>M12x50mm<br>s otvory pro<br>kotvení,<br>PA+GF-ocel  | 13806 | 0 | 91  | 27 | 83 | 8,5 | 38 | 50  | 55 | 88  | M12 | 15000 | 14 |
| Stavitelná<br>noha s<br>patkou<br>ø83mm,<br>šroub<br>M12x75mm<br>s otvory pro<br>kotvení,<br>PA+GF-ocel  | 13807 | 0 | 116 | 27 | 83 | 8,5 | 38 | 75  | 55 | 113 | M12 | 15000 | 14 |
| Stavitelná<br>noha s<br>patkou<br>ø83mm,<br>šroub<br>M12x100mm<br>s otvory pro<br>kotvení,<br>PA+GF-ocel | 13808 | 0 | 141 | 27 | 83 | 8,5 | 38 | 100 | 55 | 138 | M12 | 15000 | 14 |
| Stavitelná<br>noha s<br>patkou<br>ø83mm,<br>šroub<br>M12x125mm<br>s otvory pro<br>kotvení,<br>PA+GF-ocel | 13809 | 0 | 166 | 27 | 83 | 8,5 | 38 | 125 | 55 | 163 | M12 | 15000 | 14 |
| Stavitelná<br>noha s<br>patkou<br>ø83mm,<br>šroub<br>M14x50mm<br>s otvory pro<br>kotvení,<br>PA+GF-ocel  | 13810 | 0 | 91  | 27 | 83 | 8,5 | 38 | 50  | 55 | 88  | M14 | 20000 | 14 |

|                                                                                                          |       |   |     |    |    |     |    |     |    |     |     |       |    |
|----------------------------------------------------------------------------------------------------------|-------|---|-----|----|----|-----|----|-----|----|-----|-----|-------|----|
| Stavitelná<br>noha s<br>patkou<br>ø83mm,<br>šroub<br>M14x75mm<br>s otvory pro<br>kotvení,<br>PA+GF-ocel  | 13811 | 0 | 116 | 27 | 83 | 8,5 | 38 | 75  | 55 | 113 | M14 | 20000 | 14 |
| Stavitelná<br>noha s<br>patkou<br>ø83mm,<br>šroub<br>M14x100mm<br>s otvory pro<br>kotvení,<br>PA+GF-ocel | 13812 | 0 | 141 | 27 | 83 | 8,5 | 38 | 100 | 55 | 138 | M14 | 20000 | 14 |
| Stavitelná<br>noha s<br>patkou<br>ø83mm,<br>šroub<br>M14x125mm<br>s otvory pro<br>kotvení,<br>PA+GF-ocel | 13813 | 0 | 166 | 27 | 83 | 8,5 | 38 | 125 | 55 | 163 | M14 | 20000 | 14 |
| Stavitelná<br>noha s<br>patkou<br>ø83mm,<br>šroub<br>M14x150mm<br>s otvory pro<br>kotvení,<br>PA+GF-ocel | 13814 | 0 | 191 | 27 | 83 | 8,5 | 38 | 150 | 55 | 188 | M14 | 20000 | 14 |
| Stavitelná<br>noha s<br>patkou<br>ø83mm,<br>šroub<br>M14x175mm<br>s otvory pro<br>kotvení,<br>PA+GF-ocel | 13815 | 0 | 216 | 27 | 83 | 8,5 | 38 | 175 | 55 | 213 | M14 | 20000 | 14 |