

Silentbloky jsou standardně vyráběny z pryže NR/SBR o tvrdosti 70 ±5 Shore.

Rozsah pracovních teplot od -20°C do 80°C.

Tyto silentbloky jsou určeny pro zatížení na tlak (axiální zatížení směrem dolů). Nejsou určeny pro zatížení na tah, nebo stříh (axiální směrem nahoru, nebo radiální zatížení).

**V případě, že není produkt v dostatečném množství skladem, jeho dodací lhůta může činit až 120 dnů.**

## Selected variant

<b>Product name</b>	Silentblok skrutka, Typ 4
<b>Product code</b>	27012
<b>Length L (mm)</b>	40
<b>Diameter D (mm)</b>	40
<b>Diameter d (mm)</b>	M8
<b>Screw length H (mm)</b>	20

## Variants

Product name	Product code	QTY	Length L (mm)	Diameter D (mm)	Diameter d (mm)	Screw length H (mm)
Silent block screw, Type 4	26980	0	10	10	M4	10
Silent block screw, Type 4	26983	0	15	15	M4	10
Silent block screw, Type 4	26981	0	8	15	M4	10
Silent block screw, Type 4	26986	164	10	20	M6	15
Silent block screw, Type 4	26987	0	15	20	M6	15
Silent block screw, Type 4	26984	0	20	15	M4	10
Silent block screw, Type 4	26989	94	25	20	M6	15
Silent block screw, Type 4	26988	0	20	20	M6	15
Silent block screw, Type 4	26990	0	30	20	M6	15
Silentblok skrutka, Typ 4	26992	0	10	25	M6	18
Silent block screw, Type 4	26993	0	15	25	M6	18

Product name	Product code	QTY	Length L (mm)	Diameter D (mm)	Diameter d (mm)	Screw length H (mm)
Silentblok skrutka, Typ 4	26995	688	20	25	M6	18
Silent block screw, Type 4	26997	0	25	25	M6	18
Silent block screw, Type 4	26999	0	15	30	M8	20
Silent block screw, Type 4	27001	0	20	30	M8	20
Silent block screw, Type 4	27002	0	25	30	M8	20
Silentblok skrutka, Typ 4	27004	0	30	30	M8	20
Silent block screw, Type 4	27006	0	35	35	M8	20
Silent block screw, Type 4	27005	0	40	30	M8	20
Silent block screw, Type 4	27008	0	25	40	M8	20
Silent block screw, Type 4	27007	199	20	40	M8	20
Silent block screw, Type 4	27013	0	25	45	M8	20
Silent block screw, Type 4	27011	62	30	40	M8	20
Silentblok skrutka, Typ 4	27012	0	40	40	M8	20
Silent block screw, Type 4	27016	0	25	50	M10	28
Silent block screw, Type 4	27014	0	35	45	M8	20
Silent block screw, Type 4	27015	0	20	50	M10	28
Silent block screw, Type 4	27017	0	30	50	M10	28
Silent block screw, Type 4	27019	0	40	50	M10	28
Silent block screw, Type 4	27018	0	35	50	M10	28
Silent block screw, Type 4	27021	0	45	50	M10	28
Silentblok skrutka, Typ 4	27022	0	50	50	M10	28
Silent block screw, Type 4	27025	0	35	60	M12	32
Silent block screw, Type 4	27026	0	40	60	M12	32
Silent block screw, Type 4	27024	0	30	60	M12	32
	27037	0	30	100	M16	42
Silent block screw, Type 4	27027	0	35	70	M12	37
	27044	0	45	150	M20	42

Product name	Product code	QTY	Length L (mm)	Diameter D (mm)	Diameter d (mm)	Screw length H (mm)
Silent block screw, Type 4	27029	0	45	70	M12	37
	27043	0	40	125	M16	42
Silent block screw, Type 4	27028	0	40	70	M12	37
	27046	0	55	150	M20	42
Silent block screw, Type 4	27030	0	25	75	M12	37
	26982	0	10	15	M4	10
Silent block screw, Type 4	27032	0	40	75	M12	37
	26985	0	8	20	M6	15
Silent block screw, Type 4	27033	0	45	75	M12	37
	26991	0	8	25	M6	18
Silent block screw, Type 4	27034	0	50	75	M12	37
	26994	0	17	25	M6	18
Silent block screw, Type 4	27036	2	70	75	M12	37
	26996	0	23	25	M6	18
Silent block screw, Type 4	27035	0	55	75	M12	37
	27000	0	17	30	M8	20
Silent block screw, Type 4	27038	0	40	100	M16	42
	26998	0	30	25	M6	18
Silent block screw, Type 4	27039	0	50	100	M16	42
	27047	0	60	150	M20	42
Silent block screw, Type 4	27040	0	55	100	M16	42
	27003	0	28	30	M8	20
Silent block screw, Type 4	27042	0	75	100	M16	42
	27009	0	27	40	M8	20
Silent block screw, Type 4	27041	0	60	100	M16	42
	27010	0	28	40	M8	20
Silent block screw, Type 4	27045	0	50	150	M20	42

Product name	Product code	QTY	Length L (mm)	Diameter D (mm)	Diameter d (mm)	Screw length H (mm)
	27020	0	42	50	M10	28
	27023	0	25	60	M12	32
	27031	0	30	75	M12	37
Silent block screw, Type 4 -- Clearance sale	28193	4	30	40	M10	28