

Silent blocks are standardly made of NR/SBR rubber with a hardness of 70 $\pm$ 5 Shore.

Operating temperature range from -20°C to 80°C.

These silent blocks are designed for pressure loads (axial load downwards). They are not designed for tension or shear loads (axial load upward or radial load).

In case the product is not in stock in sufficient quantities, its delivery time can be up to 120 days.

Selected variant

Product name	Silent block screw, Type 4
Product code	27032
Length L (mm)	40
Diameter D (mm)	75
Diameter d (mm)	M12
Screw length H (mm)	37

Variants

Product name	Product code	QTY	Length L (mm)	Diameter D (mm)	Diameter d (mm)	Screw length H (mm)
Silent block screw, Type 4	26980	0	10	10	M4	10
Silent block screw, Type 4	26983	0	15	15	M4	10
Silent block screw, Type 4	26981	0	8	15	M4	10
Silent block screw, Type 4	26986	164	10	20	M6	15
Silent block screw, Type 4	26987	0	15	20	M6	15
Silent block screw, Type 4	26984	0	20	15	M4	10
Silent block screw, Type 4	26989	94	25	20	M6	15
Silent block screw, Type 4	26988	0	20	20	M6	15
Silent block screw, Type 4	26990	0	30	20	M6	15
Silentblok skrutka, Typ 4	26992	0	10	25	M6	18
Silent block screw, Type 4	26993	0	15	25	M6	18

Product name	Product code	QTY	Length L (mm)	Diameter D (mm)	Diameter d (mm)	Screw length H (mm)
Silentblok skrutka, Typ 4	26995	688	20	25	M6	18
Silent block screw, Type 4	26997	0	25	25	M6	18
Silent block screw, Type 4	26999	0	15	30	M8	20
Silent block screw, Type 4	27001	0	20	30	M8	20
Silent block screw, Type 4	27002	0	25	30	M8	20
Silentblok skrutka, Typ 4	27004	0	30	30	M8	20
Silent block screw, Type 4	27006	0	35	35	M8	20
Silent block screw, Type 4	27005	0	40	30	M8	20
Silent block screw, Type 4	27008	0	25	40	M8	20
Silent block screw, Type 4	27007	199	20	40	M8	20
Silent block screw, Type 4	27013	0	25	45	M8	20
Silent block screw, Type 4	27011	62	30	40	M8	20
Silentblok skrutka, Typ 4	27012	0	40	40	M8	20
Silent block screw, Type 4	27016	0	25	50	M10	28
Silent block screw, Type 4	27014	0	35	45	M8	20
Silent block screw, Type 4	27015	0	20	50	M10	28
Silent block screw, Type 4	27017	0	30	50	M10	28
Silent block screw, Type 4	27019	0	40	50	M10	28
Silent block screw, Type 4	27018	0	35	50	M10	28
Silent block screw, Type 4	27021	0	45	50	M10	28
Silentblok skrutka, Typ 4	27022	0	50	50	M10	28
Silent block screw, Type 4	27025	0	35	60	M12	32
Silent block screw, Type 4	27026	0	40	60	M12	32
Silent block screw, Type 4	27024	0	30	60	M12	32
	27037	0	30	100	M16	42
Silent block screw, Type 4	27027	0	35	70	M12	37
	27044	0	45	150	M20	42

Product name	Product code	QTY	Length L (mm)	Diameter D (mm)	Diameter d (mm)	Screw length H (mm)
Silent block screw, Type 4	27029	0	45	70	M12	37
	27043	0	40	125	M16	42
Silent block screw, Type 4	27028	0	40	70	M12	37
	27046	0	55	150	M20	42
Silent block screw, Type 4	27030	0	25	75	M12	37
	26982	0	10	15	M4	10
Silent block screw, Type 4	27032	0	40	75	M12	37
	26985	0	8	20	M6	15
Silent block screw, Type 4	27033	0	45	75	M12	37
	26991	0	8	25	M6	18
Silent block screw, Type 4	27034	0	50	75	M12	37
	26994	0	17	25	M6	18
Silent block screw, Type 4	27036	2	70	75	M12	37
	26996	0	23	25	M6	18
Silent block screw, Type 4	27035	0	55	75	M12	37
	27000	0	17	30	M8	20
Silent block screw, Type 4	27038	0	40	100	M16	42
	26998	0	30	25	M6	18
Silent block screw, Type 4	27039	0	50	100	M16	42
	27047	0	60	150	M20	42
Silent block screw, Type 4	27040	0	55	100	M16	42
	27003	0	28	30	M8	20
Silent block screw, Type 4	27042	0	75	100	M16	42
	27009	0	27	40	M8	20
Silent block screw, Type 4	27041	0	60	100	M16	42
	27010	0	28	40	M8	20
Silent block screw, Type 4	27045	0	50	150	M20	42

Product name	Product code	QTY	Length L (mm)	Diameter D (mm)	Diameter d (mm)	Screw length H (mm)
	27020	0	42	50	M10	28
	27023	0	25	60	M12	32
	27031	0	30	75	M12	37
Silent block screw, Type 4 -- Clearance sale	28193	4	30	40	M10	28