

- **Foot material:** glass-fiber reinforced thermoplastic
- **Screw material:** galvanized steel
- **Foot color:** black

The static load, mentioned below in the parameters, is calculated at the center of the screw. In the case of vibrations or dynamic loads, these values are reduced.

You can order a [special anti-slip pad](#) for this product.

## Zvolená varianta

<b>Název produktu</b>	Stavitelná noha s patkou ø83mm, šroub M14x150mm s otvory pro kotvení, PA+GF-ocel
<b>Kód</b>	13814
<b>Výška s podložkou H1 (mm)</b>	191
<b>Výška patky G (mm)</b>	27
<b>Průměr patky D (mm)</b>	83
<b>Průměr otvoru L (mm)</b>	8,5
<b>Výška A (mm)</b>	38
<b>Délka šroubu B (mm)</b>	150
<b>Rozteč K (mm)</b>	55
<b>Výška bez podložky H (mm)</b>	188
<b>Závit F</b>	M14
<b>Statické zatížení (N)</b>	20000
<b>Klíč SW</b>	14

## Varianty produktu

Název produktu	Kód	QTY	Výška s podložkou H1 (mm)	Výška patky G (mm)	Průměr patky D (mm)	Průměr otvoru L (mm)	Výška A (mm)	Délka šroubu B (mm)	Rozteč K (mm)	Výška bez podložky H (mm)	Závit F	Statické zatížení (N)	Klíč SW
----------------	-----	-----	---------------------------	--------------------	---------------------	----------------------	--------------	---------------------	---------------	---------------------------	---------	-----------------------	---------

Stavitelná noha s patkou ø83 mm, šroub M16x100 mm s otvory pro kotvení, PA+GF-ocel, protiskluzová po	28396	4	133	18	83	8,5	30	100	54	130	M16	16000	13
Stavitelná noha s patkou ø83mm, šroub M20x100mm s otvory pro kotvení, PA+GF-ocel	14251	0	144	27	83	8,5	41	100	55	141	M20	20000	17
Stavitelná noha s patkou ø83mm, šroub M16x50mm s otvory pro kotvení, PA+GF-ocel	13896	0	91	27	83	8,5	38	50	55	88	M16	20000	16
Stavitelná noha s patkou ø83mm, šroub M16x75mm s otvory pro kotvení, PA+GF-ocel	13897	0	116	27	83	8,5	38	75	55	113	M16	20000	16
Stavitelná noha s patkou ø83mm, šroub M16x100mm s otvory pro kotvení, PA+GF-ocel	13898	0	141	27	83	8,5	38	100	55	138	M16	20000	16

Stavitelná noha s patkou ø83mm, šroub M16x125mm s otvory pro kotvení, PA+GF-ocel	13899	0	166	27	83	8,5	38	125	55	163	M16	20000	16
Stavitelná noha s patkou ø83mm, šroub M16x150mm s otvory pro kotvení, PA+GF-ocel	13900	0	191	27	83	8,5	38	150	55	188	M16	20000	16
Stavitelná noha s patkou ø83mm, šroub M16x175mm s otvory pro kotvení, PA+GF-ocel	13901	0	216	27	83	8,5	38	175	55	213	M16	20000	16
Stavitelná noha s patkou ø83mm, šroub M16x200mm s otvory pro kotvení, PA+GF-ocel	13902	0	241	27	83	8,5	38	200	55	238	M16	20000	16
Stavitelná noha s patkou ø83mm, šroub M20x75mm s otvory pro kotvení, PA+GF-ocel	14391	0	119	27	83	8,5	41	75	55	116	M20	20000	17

Stavitelná noha s patkou ø83mm, šroub M20x125mm s otvory pro kotvení, PA+GF-ocel	14392	0	169	27	83	8,5	41	125	55	166	M20	20000	17
Stavitelná noha s patkou ø83mm, šroub M20x150mm s otvory pro kotvení, PA+GF-ocel	14393	0	194	27	83	8,5	41	150	55	191	M20	20000	17
Stavitelná noha s patkou ø83mm, šroub M20x175mm s otvory pro kotvení, PA+GF-ocel	14394	0	219	27	83	8,5	41	175	55	216	M20	20000	17
Stavitelná noha s patkou ø83mm, šroub M20x200mm s otvory pro kotvení, PA+GF-ocel	14395	0	244	27	83	8,5	41	200	55	241	M20	20000	17
Stavitelná noha s patkou ø83mm, šroub M20x225mm s otvory pro kotvení, PA+GF-ocel	14396	0	269	27	83	8,5	41	225	55	266	M20	20000	17

Stavitelná noha s patkou ø103mm, šroub M16x100mm s otvory pro kotvení, PA+GF-ocel	29226	1	-	20	103	12,5	32	100	73	132	M16	18000	13
Stavitelná noha s patkou ø83mm, šroub M10x50mm s otvory pro kotvení, PA+GF-ocel	13802	0	91	27	83	8,5	38	50	55	88	M10	15000	14
Stavitelná noha s patkou ø83mm, šroub M10x75mm s otvory pro kotvení, PA+GF-ocel	13803	0	116	27	83	8,5	38	75	55	113	M10	15000	14
Stavitelná noha s patkou ø83mm, šroub M10x100mm s otvory pro kotvení, PA+GF-ocel	13804	0	141	27	83	8,5	38	100	55	138	M10	15000	14
Stavitelná noha s patkou ø83mm, šroub M10x125mm s otvory pro kotvení, PA+GF-ocel	13805	0	166	27	83	8,5	38	125	55	163	M10	15000	14

Stavitelná noha s patkou ø83mm, šroub M12x50mm s otvory pro kotvení, PA+GF-ocel	13806	0	91	27	83	8,5	38	50	55	88	M12	15000	14
Stavitelná noha s patkou ø83mm, šroub M12x75mm s otvory pro kotvení, PA+GF-ocel	13807	0	116	27	83	8,5	38	75	55	113	M12	15000	14
Stavitelná noha s patkou ø83mm, šroub M12x100mm s otvory pro kotvení, PA+GF-ocel	13808	0	141	27	83	8,5	38	100	55	138	M12	15000	14
Stavitelná noha s patkou ø83mm, šroub M12x125mm s otvory pro kotvení, PA+GF-ocel	13809	0	166	27	83	8,5	38	125	55	163	M12	15000	14
Stavitelná noha s patkou ø83mm, šroub M14x50mm s otvory pro kotvení, PA+GF-ocel	13810	0	91	27	83	8,5	38	50	55	88	M14	20000	14

Stavitelná noha s patkou ø83mm, šroub M14x75mm s otvory pro kotvení, PA+GF-ocel	13811	0	116	27	83	8,5	38	75	55	113	M14	20000	14
Stavitelná noha s patkou ø83mm, šroub M14x100mm s otvory pro kotvení, PA+GF-ocel	13812	0	141	27	83	8,5	38	100	55	138	M14	20000	14
Stavitelná noha s patkou ø83mm, šroub M14x125mm s otvory pro kotvení, PA+GF-ocel	13813	0	166	27	83	8,5	38	125	55	163	M14	20000	14
Stavitelná noha s patkou ø83mm, šroub M14x150mm s otvory pro kotvení, PA+GF-ocel	13814	0	191	27	83	8,5	38	150	55	188	M14	20000	14
Stavitelná noha s patkou ø83mm, šroub M14x175mm s otvory pro kotvení, PA+GF-ocel	13815	0	216	27	83	8,5	38	175	55	213	M14	20000	14