

- **Materiál vložka:** ocel
- **Materiál páka:** zinek
- **Barva:** černá

Na požádání je možné vyrobít páku pochromovanou.

Na požádání je možné vyrobít speciální vložku, otvor či barevnou variantu.

Selected variant

Product name	Adjustable clamping lever with screw and ball, metal
Product code	19261
Screw length L (mm)	30
Diameter M (mm)	32
Height H (mm)	78
Weight (g)	303
Thread D	M14
Length L (mm)	101
Diameter d (mm)	23
Height C (mm)	56

Variants

Product name	Product code	QTY	Screw length L (mm)	Diameter M (mm)	Height H (mm)	Weight (g)	Thread D	Length L (mm)	Diameter d (mm)	Height C (mm)
Nut round with grooved edge stainless steel	16875	999999	80	32	78	375	M16	101	23	56
Adjustable clamping lever with screw and ball, metal	19238	999999	20	16	34	26	M4	40	10	26

Product name	Product code	QTY	Screw length L (mm)	Diameter M (mm)	Height H (mm)	Weight (g)	Thread D	Length L (mm)	Diameter d (mm)	Height C (mm)
Adjustable clamping lever with screw and ball, metal	19239	999999	20	16	34	28	M5	40	10	26
Adjustable clamping lever with screw and ball, metal	19240	999999	30	16	34	29	M5	40	10	26
Adjustable clamping lever with screw and ball, metal	19242	999999	25	19	54	66	M6	59	12	34
Nastavitelná upínací páka so skrutkou a guľou, kov	19241	999999	20	19	54	65	M6	59	12	34
Adjustable clamping lever with screw and ball, metal	19244	999999	40	19	54	68	M6	59	12	34
Adjustable clamping lever with screw and ball, metal	19243	999999	30	19	54	67	M6	59	12	34
Star nut with eight peaks hollow, black	19245	999999	50	19	54	70	M6	59	12	34
Adjustable clamping lever with screw and ball, metal	19246	999999	20	19	54	68	M8	59	12	34
Adjustable clamping lever with screw and ball, metal	19247	999999	25	19	54	69	M8	59	12	34
Adjustable clamping lever with screw and ball, metal	19248	999999	30	19	54	71	M8	59	12	34

Product name	Product code	QTY	Screw length L (mm)	Diameter M (mm)	Height H (mm)	Weight (g)	Thread D	Length L (mm)	Diameter d (mm)	Height C (mm)
Adjustable clamping lever with screw and ball, metal	19251	999999	20	27	69	174	M10	79	19	48
Adjustable clamping lever with screw and ball, metal	19249	999999	40	19	54	74	M8	59	12	34
Adjustable clamping lever with screw and ball, metal	19250	999999	50	19	54	78	M8	59	12	34
Adjustable fixed leg with hexagon, with foot ø30 mm, steel, PP	19252	999999	30	27	69	180	M10	79	19	48
Adjustable clamping lever with screw and ball, metal	19253	999999	40	27	69	183	M10	79	19	48
Adjustable clamping lever with screw and ball, metal	19254	999999	50	27	69	189	M10	79	19	48
Adjustable clamping lever with screw and ball, metal	19255	999999	60	27	69	194	M10	79	19	48
Adjustable clamping lever with screw and ball, metal	19257	999999	30	27	69	186	M12	79	19	48
Adjustable clamping lever with screw and ball, metal	19256	999999	20	27	69	178	M12	79	19	48

Product name	Product code	QTY	Screw length L (mm)	Diameter M (mm)	Height H (mm)	Weight (g)	Thread D	Length L (mm)	Diameter d (mm)	Height C (mm)
Adjustable clamping lever with screw and ball, metal	19258	999999	40	27	69	193	M12	79	19	48
Adjustable clamping lever with screw and ball, metal	19260	999999	60	27	69	207	M12	79	19	48
Adjustable clamping lever with screw and ball, metal	19259	999999	50	27	69	200	M12	79	19	48
Adjustable clamping lever with screw and ball, metal	19262	999999	40	32	78	313	M14	101	23	56
Adjustable clamping lever with screw and ball, metal	19261	999999	30	32	78	303	M14	101	23	56
Adjustable clamping lever with screw and ball, metal	19264	999999	60	32	78	332	M14	101	23	56
Adjustable clamping lever with screw and ball, metal	19263	999999	50	32	78	319	M14	101	23	56
Adjustable clamping lever with screw and ball, metal	19266	999999	40	32	78	325	M16	101	23	56
Adjustable clamping lever with screw and ball, metal	19265	999999	30	32	78	311	M16	101	23	56

Product name	Product code	QTY	Screw length L (mm)	Diameter M (mm)	Height H (mm)	Weight (g)	Thread D	Length L (mm)	Diameter d (mm)	Height C (mm)
Adjustable clamping lever with screw and ball, metal	19267	999999	50	32	78	339	M16	101	23	56
Adjustable clamping lever with screw and ball, metal	19268	999999	60	32	78	351	M16	101	23	56