

Silentbloky jsou standardně vyráběny z pryže NR/SBR o tvrdosti 70 ±5 Shore.

Rozsah pracovních teplot od -20°C do 80°C.

Tyto silentbloky jsou určeny pro zatížení na tlak (axiální zatížení směrem dolů). Nejsou určeny pro zatížení na tah, nebo střih (axiální směrem nahoru, nebo radiální zatížení).

**V případě, že není produkt v dostatečném množství skladem, jeho dodací lhůta může činit až 120 dnů.**

## Selected variant

| Product name        |       |
|---------------------|-------|
| Product code        | 26978 |
| Diameter d (mm)     | M20   |
| Diameter D (mm)     | 150   |
| Length L (mm)       | 55    |
| Thread depth H (mm) | 16    |

## Variants

| Product name                          | Product code | QTY | Diameter d (mm) | Diameter D (mm) | Length L (mm) | Thread depth H (mm) |
|---------------------------------------|--------------|-----|-----------------|-----------------|---------------|---------------------|
| Silent block thread-thread, Type 3    | 26962        | 0   | M12             | 75              | 25            | 12                  |
| Silent block thread-thread, Type 3    | 26967        | 0   | M12             | 75              | 55            | 12                  |
| Thread-to-thread silent block, Type 3 | 26966        | 10  | M12             | 75              | 50            | 12                  |
| Silentblok závit-závit, Typ 3         | 26968        | 10  | M12             | 75              | 70            | 12                  |
| Silent block thread-thread, Type 3    | 26969        | 0   | M16             | 100             | 30            | 16                  |
| Silent block thread-thread, Type 3    | 26970        | 10  | M16             | 100             | 40            | 16                  |
| Silent block thread-thread, Type 3    | 26972        | 0   | M16             | 100             | 55            | 16                  |

### A components s.r.o.

Bohunická 493/81

619 00 Brno

Web: [www.acomponents.cz](http://www.acomponents.cz)

E-mail: [info@acomponents.cz](mailto:info@acomponents.cz)

Telefon: 511 188 963

### Maloobchodní prodej

Standardizované komponenty můžete objednávat také v našem e-shopu.

Skladové zboží expedujeme obvykle do 48 hodin od potvrzení objednávky.

| Product name                       | Product code | QTY | Diameter d (mm) | Diameter D (mm) | Length L (mm) | Thread depth H (mm) |
|------------------------------------|--------------|-----|-----------------|-----------------|---------------|---------------------|
| Silent block thread-thread, Type 3 | 26974        | 0   | M16             | 100             | 75            | 16                  |
| Silent block thread-thread, Type 3 | 26973        | 9   | M16             | 100             | 60            | 16                  |
| Silent block thread-thread, Type 3 | 26971        | 10  | M16             | 100             | 50            | 16                  |
|                                    | 26977        | 0   | M20             | 150             | 50            | 16                  |
|                                    | 26976        | 0   | M20             | 150             | 45            | 16                  |
|                                    | 26975        | 0   | M16             | 125             | 40            | 16                  |
|                                    | 26921        | 0   | M4              | 15              | 15            | 4                   |
|                                    | 26978        | 0   | M20             | 150             | 55            | 16                  |
|                                    | 26979        | 0   | M20             | 150             | 60            | 16                  |
|                                    | 26923        | 0   | M6              | 20              | 15            | 6                   |
|                                    | 26925        | 0   | M6              | 20              | 25            | 6                   |
|                                    | 26927        | 0   | M6              | 25              | 10            | 6                   |
|                                    | 26929        | 0   | M6              | 25              | 17            | 6                   |
|                                    | 26931        | 0   | M6              | 25              | 23            | 6                   |
|                                    | 26936        | 0   | M8              | 30              | 28            | 8                   |
|                                    | 26942        | 0   | M8              | 40              | 27            | 8                   |
|                                    | 26943        | 0   | M8              | 40              | 28            | 8                   |
|                                    | 26955        | 0   | M12             | 60              | 25            | 12                  |
|                                    | 26965        | 0   | M12             | 75              | 45            | 12                  |
| Silent block thread-thread, Type 3 | 26922        | 10  | M4              | 15              | 20            | 4                   |
| Silent block thread-thread, Type 3 | 26924        | 8   | M6              | 20              | 20            | 6                   |
| Silent block thread-thread, Type 3 | 26926        | 9   | M6              | 20              | 30            | 6                   |
| Silent block thread-thread, Type 3 | 26928        | 10  | M6              | 25              | 15            | 6                   |

| Product name                                  | Product code | QTY | Diameter d (mm) | Diameter D (mm) | Length L (mm) | Thread depth H (mm) |
|-----------------------------------------------|--------------|-----|-----------------|-----------------|---------------|---------------------|
| Silent block thread-thread, Type 3            | 26930        | 10  | M6              | 25              | 20            | 6                   |
| Silent block thread-thread, Type 3            | 26932        | 0   | M6              | 25              | 25            | 6                   |
| Silent block thread-thread, Type 3            | 26934        | 5   | M8              | 30              | 20            | 8                   |
| Silent block thread-thread, Type 3            | 26933        | 10  | M6              | 25              | 30            | 6                   |
| Thread-to-thread silent block, Type 3         | 26935        | 0   | M8              | 30              | 25            | 8                   |
| Silent block thread-thread, Type 3            | 26938        | 8   | M8              | 30              | 40            | 8                   |
| Hose clamp Double Robust W1 Power Clamp 65-75 | 26937        | 7   | M8              | 30              | 30            | 8                   |
| Silent block thread-thread, Type 3            | 26940        | 5   | M8              | 40              | 20            | 8                   |
| Silent block thread-thread, Type 3            | 26941        | 0   | M8              | 40              | 25            | 8                   |
| Silent block thread-thread, Type 3            | 26939        | 0   | M8              | 35              | 35            | 8                   |
| Silent block thread-thread, Type 3            | 26944        | 8   | M8              | 40              | 30            | 8                   |
| Silent block thread-thread, Type 3            | 26945        | 5   | M8              | 40              | 40            | 8                   |
| Silent block thread-thread, Type 3            | 26946        | 0   | M8              | 45              | 25            | 8                   |
| Thread-to-thread silent block, Type 3         | 26947        | 0   | M8              | 45              | 35            | 10                  |
| Silent block thread-thread, Type 3            | 26948        | 0   | M10             | 50              | 25            | 10                  |
| Silent block thread-thread, Type 3            | 26951        | 6   | M10             | 50              | 40            | 10                  |
| Silent block thread-thread, Type 3            | 26950        | 0   | M10             | 50              | 35            | 10                  |

| Product name                       | Product code | QTY | Diameter d (mm) | Diameter D (mm) | Length L (mm) | Thread depth H (mm) |
|------------------------------------|--------------|-----|-----------------|-----------------|---------------|---------------------|
| Silent block thread-thread, Type 3 | 26949        | 1   | M10             | 50              | 30            | 10                  |
| Silent block thread-thread, Type 3 | 26952        | 0   | M10             | 50              | 42            | 10                  |
| Silent block thread-thread, Type 3 | 26954        | 5   | M10             | 50              | 50            | 10                  |
| Silent block thread-thread, Type 3 | 26953        | 0   | M10             | 50              | 45            | 10                  |
| Silentblok závit-závit, Typ 3      | 26957        | 0   | M12             | 60              | 35            | 12                  |
| Silent block thread-thread, Type 3 | 26956        | 8   | M12             | 60              | 30            | 12                  |
| Silent block thread-thread, Type 3 | 26959        | 0   | M12             | 70              | 35            | 12                  |
| Silent block thread-thread, Type 3 | 26958        | 9   | M12             | 60              | 40            | 12                  |
| Silent block thread-thread, Type 3 | 26960        | 10  | M12             | 70              | 40            | 12                  |
| Silent block thread-thread, Type 3 | 26963        | 10  | M12             | 75              | 30            | 12                  |
| Silent block thread-thread, Type 3 | 26961        | 0   | M12             | 70              | 45            | 12                  |
| Silent block thread-thread, Type 3 | 26964        | 10  | M12             | 75              | 40            | 12                  |