

- **Material:** thermoplastic with glass fibers
- **Color:** matt black

Galvanized insert with a twist.

If the minimum quantity is met, it is also possible to deliver a special screw length or other color design.

## Selected variant

<b>Product name</b>	Adjustable clamping lever with thread and knob, PA+GF, black
<b>Product code</b>	13545
<b>Length L (mm)</b>	80
<b>Diameter A (mm)</b>	24
<b>Width S (mm)</b>	16,5
<b>Height H (mm)</b>	44
<b>Diameter D (mm)</b>	20
<b>Length B (mm)</b>	92
<b>Height h (mm)</b>	12
<b>Thread d</b>	M10
<b>Weight (g)</b>	56
<b>Height F (mm)</b>	26
<b>Height H1 (mm)</b>	53
<b>Thread depth E (mm)</b>	16

## Variants

Product name	Product code	QTY	Length L (mm)	Diameter A (mm)	Width S (mm)	Height H (mm)	Diameter D (mm)	Length B (mm)	Height h (mm)	Thread d	Weight (g)	Height F (mm)	Height H1 (mm)
--------------	--------------	-----	---------------	-----------------	--------------	---------------	-----------------	---------------	---------------	----------	------------	---------------	----------------

Adjustable clamping lever with thread and knob, PA+GF, black	13540	35	45	16	10,5	29	12	53	7,5	M5	22	18	33,
Adjustable clamping lever with thread and knob, PA+GF, black	13541	6	45	16	10,5	29	12	53	7,5	M6	24	18	33,
Adjustable clamping lever with thread and knob, PA+GF, black	13542	7	65	20	13,5	34	15	75	7,5	M6	26	19	41
Adjustable clamping lever with thread and knob, PA+GF, black	13543	17	65	20	13,5	34	15	75	7,5	M8	24	19	41
Adjustable clamping lever with thread and knob, PA+GF, black	13544	9	80	24	16,5	44	20	92	12	M8	55	26	53
Adjustable clamping lever with thread and knob, PA+GF, black	13545	13	80	24	16,5	44	20	92	12	M10	56	26	53

Adjustable clamping lever with thread and knob, PA+GF, black	13546	5	80	24	16,5	44	20	92	12	M12	57	26	53
Adjustable clamping lever with thread and knob, PA+GF, black	13547	8	95	27	19	50	21	108	13	M12	83	30	61
Adjustable clamping lever with thread and knob, PA+GF, black	13548	6	95	27	19	50	21	108	13	M14	94	30	61
Adjustable clamping lever with thread and knob, PA+GF, black	13549	8	95	27	19	50	21	108	13	M16	89	30	61