

Nastavitelná upínací páka se šroubem z pozinkované oceli.

- **Materiál páky:** termoplast se skleněnými vlákny
- **Barva:** matná černá

Při dodržení minimálního množství je možné dodat i jiné barevné provedení

Selected variant

Product name	Adjustable clamping lever with galvanized screw, PA+GF, black
Product code	18012
Diameter M (mm)	27
Height h (mm)	12
Diameter d (mm)	20
Thread D	M10
Height H (mm)	67
Length L (mm)	79
Screw length L1 (mm)	25
Height C (mm)	48
Weight (g)	77

Variants

Product name	Product code	QTY	Diameter M (mm)	Height h (mm)	Diameter d (mm)	Thread D	Height H (mm)	Length L (mm)	Screw length L1 (mm)	Height C (mm)	Weight (g)
Adjustable clamping lever with galvanized screw, PA+GF, black	17984	999999	20	9	14	M6	51	55	25	36	30

Product name	Product code	QTY	Diameter M (mm)	Height h (mm)	Diameter d (mm)	Thread D	Height H (mm)	Length L (mm)	Screw length L1 (mm)	Height C (mm)	Weight (g)
Adjustable clamping lever with galvanized screw, PA+GF, black	17985	999999	20	9	14	M6	51	55	20	36	30
Adjustable clamping lever with galvanized screw, PA+GF, black	17988	999999	20	9	14	M8	51	55	15	36	33
Adjustable clamping lever with galvanized screw, PA+GF, black	17986	0	20	9	14	M6	51	55	30	36	31
Adjustable clamping lever with galvanized screw, PA+GF, black	17987	999999	20	9	14	M6	51	55	40	36	33
Adjustable clamping lever with galvanized screw, PA+GF, black	17990	999999	20	9	14	M8	51	55	25	36	37

Product name	Product code	QTY	Diameter M (mm)	Height h (mm)	Diameter d (mm)	Thread D	Height H (mm)	Length L (mm)	Screw length L1 (mm)	Height C (mm)	Weight (g)
Adjustable clamping lever with galvanized screw, PA+GF, black	17989	999999	20	9	14	M8	51	55	20	36	35
Adjustable clamping lever with galvanized screw, PA+GF, black	17991	999999	20	9	14	M8	51	55	30	36	38
Adjustable clamping lever with galvanized screw, PA+GF, black	17993	999999	20	9	14	M8	51	55	50	36	45
Adjustable clamping lever with galvanized screw, PA+GF, black	17992	999999	20	9	14	M8	51	55	40	36	44
Adjustable clamping lever with galvanized screw, PA+GF, black	17996	999999	27	12	20	M12	67	79	70	48	120

Product name	Product code	QTY	Diameter M (mm)	Height h (mm)	Diameter d (mm)	Thread D	Height H (mm)	Length L (mm)	Screw length L1 (mm)	Height C (mm)	Weight (g)
Adjustable clamping lever with galvanized screw, PA+GF, black	17995	999999	20	9	14	M8	51	55	35	36	41
Adjustable clamping lever with galvanized screw, PA+GF, black	17994	999999	20	9	14	M8	51	55	60	36	49
Adjustable clamping lever with galvanized screw, PA+GF, black	17998	999999	27	12	20	M8	67	79	30	48	74
Adjustable clamping lever with galvanized screw, PA+GF, black	17997	999999	27	12	20	M8	67	79	20	48	72
Adjustable clamping lever with galvanized screw, PA+GF, black	17999	999999	27	12	20	M8	67	79	35	48	76

Product name	Product code	QTY	Diameter M (mm)	Height h (mm)	Diameter d (mm)	Thread D	Height H (mm)	Length L (mm)	Screw length L1 (mm)	Height C (mm)	Weight (g)
Adjustable clamping lever with galvanized screw, PA+GF, black	18001	999999	27	12	20	M10	67	79	20	48	74
Adjustable clamping lever with galvanized screw, PA+GF, black	18000	999999	27	12	20	M8	67	79	40	48	78
Adjustable clamping lever with galvanized screw, PA+GF, black	18002	999999	27	12	20	M8	67	79	50	48	81
Adjustable clamping lever with galvanized screw, PA+GF, black	18003	999999	27	12	20	M10	67	79	30	48	80
Adjustable clamping lever with galvanized screw, PA+GF, black	18004	999999	27	12	20	M10	67	79	40	48	85

A components s.r.o.

Bohunická 493/81

619 00 Brno

 Web: www.acomponents.cz

 E-mail: info@acomponents.cz

Telefon: 511 188 963

Maloobchodní prodej

Standardizované komponenty můžete objednávat také v našem e-shopu.

Skladové zboží expedujeme obvykle do 48 hodin od potvrzení objednávky.

Product name	Product code	QTY	Diameter M (mm)	Height h (mm)	Diameter d (mm)	Thread D	Height H (mm)	Length L (mm)	Screw length L1 (mm)	Height C (mm)	Weight (g)
Adjustable clamping lever with galvanized screw, PA+GF, black	18005	999999	27	12	20	M12	67	79	20	48	88
Adjustable clamping lever with galvanized screw, PA+GF, black	18006	999999	27	12	20	M10	67	79	50	48	89
Adjustable clamping lever with galvanized screw, PA+GF, black	18007	0	27	12	20	M10	67	79	60	48	94
Adjustable clamping lever with galvanized screw, PA+GF, black	18008	999999	27	12	20	M12	67	79	30	48	94
Adjustable clamping lever with galvanized screw, PA+GF, black	18009	999999	27	12	20	M12	67	79	40	48	101

Product name	Product code	QTY	Diameter M (mm)	Height h (mm)	Diameter d (mm)	Thread D	Height H (mm)	Length L (mm)	Screw length L1 (mm)	Height C (mm)	Weight (g)
Adjustable clamping lever with galvanized screw, PA+GF, black	18011	999999	27	12	20	M12	67	79	60	48	114
Adjustable clamping lever with galvanized screw, PA+GF, black	18010	999999	27	12	20	M12	67	79	50	48	108
Adjustable clamping lever with galvanized screw, PA+GF, black	18012	999999	27	12	20	M10	67	79	25	48	77
Adjustable clamping lever with galvanized screw, PA+GF, black	18411	999999	16	8	11	M5	40	40	30	32	20
Adjustable clamping lever with galvanized screw, PA+GF, black	18412	999999	16	8	11	M6	40	40	20	32	20

Product name	Product code	QTY	Diameter M (mm)	Height h (mm)	Diameter d (mm)	Thread D	Height H (mm)	Length L (mm)	Screw length L1 (mm)	Height C (mm)	Weight (g)
Adjustable clamping lever with galvanized screw, PA+GF, black	18413	999999	16	8	11	M6	40	40	30	32	24
Adjustable clamping lever with galvanized screw, PA+GF, black	18422	999999	33	12	25	M12	85	100	40	60	163
Adjustable clamping lever with galvanized screw, PA+GF, black	18421	999999	33	12	25	M12	85	100	30	60	156
Adjustable clamping lever with galvanized screw, PA+GF, black	18423	999999	33	12	25	M12	85	100	50	60	169
Adjustable clamping lever with galvanized screw, PA+GF, black	18424	999999	33	12	25	M12	85	100	60	60	176

Product name	Product code	QTY	Diameter M (mm)	Height h (mm)	Diameter d (mm)	Thread D	Height H (mm)	Length L (mm)	Screw length L1 (mm)	Height C (mm)	Weight (g)
Adjustable clamping lever with galvanized screw, PA+GF, black	18425	999999	33	12	25	M12	85	100	70	60	184
Adjustable clamping lever with galvanized screw, PA+GF, black	18427	999999	33	12	25	M14	85	100	40	60	180
Adjustable clamping lever with galvanized screw, PA+GF, black	18426	999999	33	12	25	M14	85	100	30	60	168
Adjustable clamping lever with galvanized screw, PA+GF, black	18428	999999	33	12	25	M14	85	100	50	60	196
Adjustable clamping lever with galvanized screw, PA+GF, black	18429	999999	33	12	25	M14	85	100	60	60	202

Product name	Product code	QTY	Diameter M (mm)	Height h (mm)	Diameter d (mm)	Thread D	Height H (mm)	Length L (mm)	Screw length L1 (mm)	Height C (mm)	Weight (g)
Adjustable clamping lever with galvanized screw, PA+GF, black	18431	999999	33	12	25	M16	85	100	30	60	193
Adjustable clamping lever with galvanized screw, PA+GF, black	18430	999999	33	12	25	M14	85	100	70	60	214
Adjustable clamping lever with galvanized screw, PA+GF, black	18433	999999	33	12	25	M16	85	100	50	60	223
Adjustable clamping lever with galvanized screw, PA+GF, black	18432	999999	33	12	25	M16	85	100	40	60	213
Adjustable clamping lever with galvanized screw, PA+GF, black	18434	999999	33	12	25	M16	85	100	60	60	250

Product name	Product code	QTY	Diameter M (mm)	Height h (mm)	Diameter d (mm)	Thread D	Height H (mm)	Length L (mm)	Screw length L1 (mm)	Height C (mm)	Weight (g)
Adjustable clamping lever with galvanized screw, PA+GF, black	18435	999999	33	12	25	M16	85	100	70	60	278

A components s.r.o.

Bohunická 493/81

619 00 Brno

Web: www.acomponents.czE-mail: info@acomponents.cz

Telefon: 511 188 963

Maloobchodní prodej

Standardizované komponenty můžete objednávat také v našem e-shopu.

Skladové zboží expedujeme obvykle do 48 hodin od potvrzení objednávky.